



August 31, 2026

Leisha Stevenson
Palm Springs Bottled Water
327 N McArthur St.
Macomb, IL 61455

RE: Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

Dear Leisha Stevenson:

Enclosed are the analytical results for sample(s) received by the laboratory on August 04, 2026. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Ormond Beach
- Pace Analytical Services - Greensburg

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Yvette Prieto".

Yvette Prieto
yvette.prieto@pacelabs.com
(813)881-9401
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**CERTIFICATIONS**

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

Pace Analytical Services Pennsylvania

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601

ANABISO/IEC 17025:2017 Rad Cert#: L24170

Alabama Certification #: 41590

Arizona ADHS Certification #: AZ0734

Arkansas Certification

California Certification #: 2950

Colorado Certification #: PA01547

Connecticut Certification #: PH-0694

EPA Region 3 DW Rad

Florida/TNI Certification #: E87683

Georgia Certification #: C040

Guam Certification

Hawaii Certification

Idaho Certification

Illinois Certification

Indiana Certification

Iowa Certification #: 391

Kansas Certification #: E-10358

Kentucky Certification #: KY90133

KY WW Permit #: KY0098221

KY WW Permit #: KY0000221

Louisiana DHH/TNI Certification #: LA010

Louisiana DEQ/TNI Certification #: 04086

Maine Certification #: 2023021

Maryland Certification #: 308

Massachusetts Certification #: M-PA1457

Michigan/PADEP Certification #: 9991

Missouri Certification #: 235

Montana Certification #: Cert0082

Nebraska Certification #: NE-OS-29-14

Nevada Certification #: PA014572023-03

New Hampshire/TNI Certification #: 297622

New Jersey/TNI Certification #: PA051

New Mexico Certification #: PA01457

New York/TNI Certification #: 10888

North Carolina Certification #: 42706

North Dakota Certification #: R-190

Ohio EPA Rad Approval: #41249

Oregon/TNI Certification #: PA200002-015

Pennsylvania/TNI Certification #: 65-00282

Puerto Rico Certification #: PA01457

Rhode Island Certification #: 65-00282

South Dakota Certification

Tennessee Certification #: TN02867

Texas/TNI Certification #: T104704188-22-18

Utah/TNI Certification #: PA014572223-14

USDA Soil Permit #: 525-23-67-77263

Vermont Dept. of Health: ID# VT-0282

Virgin Island/PADEP Certification

Virginia/VELAP Certification #: 460198

Washington Certification #: C868

West Virginia DEP Certification #: 143

West Virginia DHHR Certification #: 9964C

Wisconsin Approve List for Rad

Pace Analytical Services Ormond Beach

8 East Tower Circle, Ormond Beach, FL 32174

Alaska DEC- CS/UST/LUST

Alabama Certification #: 41320

California Certification# 3096

Colorado Certification: FL NELAC Reciprocity

Connecticut Certification #: PH-0216

Delaware Certification: FL NELAC Reciprocity

DoD-ANAB #:ADE-3199

Florida Certification #: E83079

Georgia Certification #: 955

Guam Certification: FL NELAC Reciprocity

Hawaii Certification: FL NELAC Reciprocity

Illinois Certification #: 200068

Indiana Certification: FL NELAC Reciprocity

Kansas Certification #: E-10383

Kentucky Certification #: 90050

Louisiana Certification #: FL NELAC Reciprocity

Louisiana Environmental Certificate #: 05007

Maine Certification #: FL01264

Maryland Certification: #346

Massachusetts Certification #: M-FL1264

Michigan Certification #: 9911

Mississippi Certification: FL NELAC Reciprocity

Missouri Certification #: 236

Montana Certification #: Cert 0074

Nebraska Certification: NE-OS-28-14

Nevada Certification: FL NELAC Reciprocity

New Hampshire Certification #: 2958

New Jersey Certification #: FL022

New York Certification #: 11608

North Carolina Environmental Certificate #: 667

North Carolina Certification #: 12710

North Dakota Certification #: R-216

Ohio DEP 87780

Oklahoma Certification #: 2501

Pennsylvania Certification #: 68-00547

Puerto Rico Certification #: FL01264

South Carolina Certification: #96042001

South Dakota, FL NELAC Reciprocity

Tennessee Certification #: TN02974

Texas Certification: FL NELAC Reciprocity

US Virgin Islands Certification: FL NELAC Reciprocity

Utah

Utah FL NELAC Reciprocity

REPORT OF LABORATORY ANALYSISThis report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

Pace Analytical Services Ormond Beach

Virginia Environmental Certification #: 460165

Washington Certification #: C955

West Virginia Certification #: 9962C

Wisconsin Certification #: 399079670

Wyoming (EPA Region 8): FL NELAC Reciprocity

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

Lab ID	Sample ID	Matrix	Date Collected	Date Received
35055387001	5gal SPR#072613	Drinking Water	08/04/26 09:06	08/04/26 09:07
35055387002	3gal SPR #072602	Drinking Water	08/04/26 09:06	08/04/26 09:07

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
35055387001	5gal SPR#072613	EPA 504.1	SES	2	PASI-O
		EPA 505	LJM	10	PASI-O
		EPA 515.3	LJM	13	PASI-O
		EPA 525.3	NTP	16	PASI-O
		EPA 531.2	KAF	3	PASI-O
		EPA 547	KAF	1	PASI-O
		EPA 549.2	EP1	2	PASI-O
		EPA 552.3	SES	7	PASI-O
		EPA 200.7	SMC	9	PASI-O
		EPA 200.8	ADS	8	PASI-O
		EPA 245.1	JNK	1	PASI-O
		EPA 548.1	TSW	1	PASI-O
		EPA 524.2	AST	67	PASI-O
		EPA 180.1	JG	1	PASI-O
		SM2120B-01	JG	2	PASI-O
		SM 2150B	SWB	2	PASI-O
		SM 2540C	TPM	1	PASI-O
		SM 4500-CI D	AAV	2	PASI-O
		SM 4500-CIO2	AAV	1	PASI-O
		SM 4500-H+B	SWB	1	PASI-O
		EPA 300.0	EAD	4	PASI-O
		EPA 300.1	JH	2	PASI-O
		EPA 300.1	JH	4	PASI-O
		EPA 335.4	JH2	1	PASI-O
		EPA 353.2	CLD	3	PASI-O
35055387002	3gal SPR #072602	EPA 900.0	REH1	2	PASI-PA
		EPA 903.1	DSO	1	PASI-PA
		EPA 904.0	VAL	1	PASI-PA

PASI-O = Pace Analytical Services - Ormond Beach

PASI-PA = Pace Analytical Services - Greensburg

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

Sample: 5gal SPR#072613 Lab ID: 35055387001 Collected: 08/04/26 09:06 Received: 08/04/26 09:07 Matrix: Drinking Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
504.1 GCS EDB and DBCP									
Analytical Method: EPA 504.1 Preparation Method: EPA 504.1									
Initial Volume/Weight: 35.28 mL Final Volume/Weight: 2 mL									
Pace Analytical Services - Ormond Beach									
1,2-Dibromo-3-chloropropane	0.0063 U	ug/L	0.020	0.0063	1	08/17/26 12:12	08/17/26 19:35	96-12-8	
1,2-Dibromoethane (EDB)	0.0074 U	ug/L	0.0099	0.0074	1	08/17/26 12:12	08/17/26 19:35	106-93-4	
505 GCS PCB-TOX-TCH									
Analytical Method: EPA 505 Preparation Method: EPA 505									
Initial Volume/Weight: 33.57 mL Final Volume/Weight: 2 mL									
Pace Analytical Services - Ormond Beach									
Chlordane (Technical)	0.016 U	ug/L	0.21	0.016	1	08/12/26 05:57	08/12/26 16:55	12789-03-6	
PCB-1016 (Aroclor 1016)	0.019 U	ug/L	0.10	0.019	1	08/12/26 05:57	08/12/26 16:55	12674-11-2	
PCB-1221 (Aroclor 1221)	0.041 U	ug/L	0.10	0.041	1	08/12/26 05:57	08/12/26 16:55	11104-28-2	
PCB-1232 (Aroclor 1232)	0.046 U	ug/L	0.10	0.046	1	08/12/26 05:57	08/12/26 16:55	11141-16-5	
PCB-1242 (Aroclor 1242)	0.032 U	ug/L	0.10	0.032	1	08/12/26 05:57	08/12/26 16:55	53469-21-9	
PCB-1248 (Aroclor 1248)	0.026 U	ug/L	0.10	0.026	1	08/12/26 05:57	08/12/26 16:55	12672-29-6	
PCB-1254 (Aroclor 1254)	0.038 U	ug/L	0.10	0.038	1	08/12/26 05:57	08/12/26 16:55	11097-69-1	
PCB-1260 (Aroclor 1260)	0.030 U	ug/L	0.10	0.030	1	08/12/26 05:57	08/12/26 16:55	11096-82-5	
PCB, Total	0.046 U	ug/L	0.10	0.046	1	08/12/26 05:57	08/12/26 16:55	1336-36-3	
Toxaphene	0.28 U	ug/L	1.0	0.28	1	08/12/26 05:57	08/12/26 16:55	8001-35-2	
515.3 Chlorinated Herbicides									
Analytical Method: EPA 515.3 Preparation Method: EPA 515.3									
Initial Volume/Weight: 40 mL Final Volume/Weight: 4 mL									
Pace Analytical Services - Ormond Beach									
Acifluorfen	0.078 U	ug/L	0.10	0.078	1	08/06/26 11:19	08/07/26 15:54	62476-59-9	
Bentazon	0.16 U	ug/L	0.20	0.16	1	08/06/26 11:19	08/07/26 15:54	25057-89-0	
2,4-D	0.096 U	ug/L	0.10	0.096	1	08/06/26 11:19	08/07/26 15:54	94-75-7	
Dalapon	0.49 U	ug/L	1.0	0.49	1	08/06/26 11:19	08/07/26 15:54	75-99-0	
2,4-DB	0.68 U	ug/L	2.0	0.68	1	08/06/26 11:19	08/07/26 15:54	94-82-6	
Dicamba	0.067 U	ug/L	0.10	0.067	1	08/06/26 11:19	08/07/26 15:54	1918-00-9	
Dichlorprop	0.23 U	ug/L	0.70	0.23	1	08/06/26 11:19	08/07/26 15:54	120-36-5	
Dinoseb	0.16 U	ug/L	0.20	0.16	1	08/06/26 11:19	08/07/26 15:54	88-85-7	
Pentachlorophenol	0.031 U	ug/L	0.040	0.031	1	08/06/26 11:19	08/07/26 15:54	87-86-5	
Picloram	0.040 U	ug/L	0.10	0.040	1	08/06/26 11:19	08/07/26 15:54	1918-02-1	
2,4,5-T	0.16 U	ug/L	0.20	0.16	1	08/06/26 11:19	08/07/26 15:54	93-76-5	
2,4,5-TP (Silvex)	0.059 U	ug/L	0.20	0.059	1	08/06/26 11:19	08/07/26 15:54	93-72-1	
Surrogates									
2,4-DCAA (S)	116	%	70-130		1	08/06/26 11:19	08/07/26 15:54	19719-28-9	
525.3 Pesticides Semivolatiles									
Analytical Method: EPA 525.3 Preparation Method: EPA 525.3									
Initial Volume/Weight: 1037.26 mL Final Volume/Weight: 1 mL									
Pace Analytical Services - Ormond Beach									
Alachlor	0.029 U	ug/L	0.19	0.029	1	08/13/26 07:39	08/13/26 22:20	15972-60-8	
Atrazine	0.014 U	ug/L	0.096	0.014	1	08/13/26 07:39	08/13/26 22:20	1912-24-9	
Benzo(a)pyrene	0.019 U	ug/L	0.096	0.019	1	08/13/26 07:39	08/13/26 22:20	50-32-8	
gamma-BHC (Lindane)	0.0057 U	ug/L	0.019	0.0057	1	08/13/26 07:39	08/13/26 22:20	58-89-9	
Endrin	0.0050 U	ug/L	0.0098	0.0050	1	08/13/26 07:39	08/13/26 22:20	72-20-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

Sample: 5gal SPR#072613 Lab ID: 35055387001 Collected: 08/04/26 09:06 Received: 08/04/26 09:07 Matrix: Drinking Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
525.3 Pesticides Semivolatiles									
Analytical Method: EPA 525.3 Preparation Method: EPA 525.3									
Initial Volume/Weight: 1037.26 mL Final Volume/Weight: 1 mL									
Pace Analytical Services - Ormond Beach									
bis(2-Ethylhexyl)adipate	0.36 U	ug/L	1.4	0.36	1	08/13/26 07:39	08/13/26 22:20	103-23-1	
bis(2-Ethylhexyl)phthalate	0.46 U	ug/L	1.9	0.46	1	08/13/26 07:39	08/13/26 22:20	117-81-7	
Heptachlor	0.013 U	ug/L	0.039	0.013	1	08/13/26 07:39	08/13/26 22:20	76-44-8	
Heptachlor epoxide	0.0030 U	ug/L	0.019	0.0030	1	08/13/26 07:39	08/13/26 22:20	1024-57-3	
Hexachlorobenzene	0.014 U	ug/L	0.096	0.014	1	08/13/26 07:39	08/13/26 22:20	118-74-1	
Hexachlorocyclopentadiene	0.024 U	ug/L	0.096	0.024	1	08/13/26 07:39	08/13/26 22:20	77-47-4	
Methoxychlor	0.054 U	ug/L	0.096	0.054	1	08/13/26 07:39	08/13/26 22:20	72-43-5	
Simazine	0.040 U	ug/L	0.17	0.040	1	08/13/26 07:39	08/13/26 22:20	122-34-9	
Surrogates									
1,3-Dimethyl-2-nitrobenzene(S)	100	%	70-130		1	08/13/26 07:39	08/13/26 22:20	81209	
Benzo(a)pyrene-d12 (S)	81	%	70-130		1	08/13/26 07:39	08/13/26 22:20		
Triphenylphosphate (S)	107	%	70-130		1	08/13/26 07:39	08/13/26 22:20	115-86-6	
531.2 HPLC Carbamates									
Analytical Method: EPA 531.2									
Initial Volume/Weight: 1 mL Final Volume/Weight: 1 mL									
Pace Analytical Services - Ormond Beach									
Carbofuran	0.18 U	ug/L	0.90	0.18	1		08/11/26 10:27	1563-66-2	
Oxamyl	0.23 U	ug/L	2.0	0.23	1		08/11/26 10:27	23135-22-0	
Surrogates									
BDMC (S)	101	%	70-130		1		08/11/26 10:27		
547 HPLC Glyphosate									
Analytical Method: EPA 547									
Initial Volume/Weight: 1 mL Final Volume/Weight: 1 mL									
Pace Analytical Services - Ormond Beach									
Glyphosate	4.2 U	ug/L	6.0	4.2	1		08/07/26 16:51		
549.2 HPLC Paraquat Diquat									
Analytical Method: EPA 549.2 Preparation Method: EPA 549.2									
Initial Volume/Weight: 250 mL Final Volume/Weight: 5 mL									
Pace Analytical Services - Ormond Beach									
Diquat	0.16 U	ug/L	0.40	0.16	1	08/04/26 17:20	08/06/26 23:01	85-00-7	
Paraquat	0.16 U	ug/L	0.40	0.16	1	08/04/26 17:20	08/06/26 23:01	1910-42-5	
552.3 Haloacetic Acids									
Analytical Method: EPA 552.3 Preparation Method: EPA 552.3									
Initial Volume/Weight: 40 mL Final Volume/Weight: 4 mL									
Pace Analytical Services - Ormond Beach									
Dibromoacetic Acid	0.43 U	ug/L	1.0	0.43	1	08/07/26 23:25	08/10/26 06:07	631-64-1	
Dichloroacetic Acid	0.39 U	ug/L	1.0	0.39	1	08/07/26 23:25	08/10/26 06:07	79-43-6	
Haloacetic Acids (Total)	0.67 U	ug/L	1.0	0.67	1	08/07/26 23:25	08/10/26 06:07		
Monobromoacetic Acid	0.46 U	ug/L	1.0	0.46	1	08/07/26 23:25	08/10/26 06:07	79-08-3	
Monochloroacetic Acid	0.41 U	ug/L	1.0	0.41	1	08/07/26 23:25	08/10/26 06:07	79-11-8	
Trichloroacetic Acid	0.40 U	ug/L	1.0	0.40	1	08/07/26 23:25	08/10/26 06:07	76-03-9	
Surrogates									
2,3-Dibromopropanoic Acid (S)	118	%	70-130		1	08/07/26 23:25	08/10/26 06:07	600-05-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

Sample: 5gal SPR#072613 Lab ID: 35055387001 Collected: 08/04/26 09:06 Received: 08/04/26 09:07 Matrix: Drinking Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP, Drinking Water									
Analytical Method: EPA 200.7 Preparation Method: EPA 200.7									
Initial Volume/Weight: 50 mL Final Volume/Weight: 50 mL									
Pace Analytical Services - Ormond Beach									
Barium	68.2	ug/L	10.0	2.4	1	08/11/26 01:53	08/11/26 14:08	7440-39-3	
Beryllium	0.19 U	ug/L	4.0	0.19	1	08/11/26 01:53	08/11/26 14:08	7440-41-7	
Cadmium	0.22 U	ug/L	1.0	0.22	1	08/11/26 01:53	08/11/26 14:08	7440-43-9	
Chromium	1.5 U	ug/L	5.0	1.5	1	08/11/26 01:53	08/11/26 14:08	7440-47-3	
Iron	21.0 U	ug/L	40.0	21.0	1	08/11/26 01:53	08/11/26 14:08	7439-89-6	
Manganese	1.3 U	ug/L	5.0	1.3	1	08/11/26 01:53	08/11/26 14:08	7439-96-5	
Nickel	2.0 U	ug/L	5.0	2.0	1	08/11/26 01:53	08/11/26 14:08	7440-02-0	
Silver	2.2 U	ug/L	5.0	2.2	1	08/11/26 01:53	08/11/26 14:08	7440-22-4	
Zinc	7.7 U	ug/L	20.0	7.7	1	08/11/26 01:53	08/11/26 14:08	7440-66-6	
200.8 MET ICPMS Drinking Water									
Analytical Method: EPA 200.8 Preparation Method: EPA 200.8									
Initial Volume/Weight: 50 mL Final Volume/Weight: 50 mL									
Pace Analytical Services - Ormond Beach									
Aluminum	8.6 U	ug/L	10.0	8.6	1	08/11/26 01:53	08/11/26 16:34	7429-90-5	
Antimony	0.88 U	ug/L	1.0	0.88	1	08/11/26 01:53	08/11/26 16:34	7440-36-0	
Arsenic	0.66 I	ug/L	1.0	0.50	1	08/11/26 01:53	08/11/26 16:34	7440-38-2	
Copper	2.4	ug/L	1.0	0.93	1	08/11/26 01:53	08/11/26 16:34	7440-50-8	
Lead	0.11 U	ug/L	1.0	0.11	1	08/11/26 01:53	08/11/26 16:34	7439-92-1	
Selenium	0.83 U	ug/L	1.0	0.83	1	08/11/26 01:53	08/11/26 16:34	7782-49-2	
Thallium	0.21 U	ug/L	1.0	0.21	1	08/11/26 01:53	08/11/26 16:34	7440-28-0	
Uranium	0.19 U	ug/L	1.0	0.19	1	08/11/26 01:53	08/11/26 16:34	7440-61-1	
245.1 Mercury									
Analytical Method: EPA 245.1 Preparation Method: EPA 245.1									
Initial Volume/Weight: 40 mL Final Volume/Weight: 40 mL									
Pace Analytical Services - Ormond Beach									
Mercury	0.14 U	ug/L	0.20	0.14	1	08/31/26 09:16	08/31/26 12:23	7439-97-6	
548.1 GCS Endothall									
Analytical Method: EPA 548.1 Preparation Method: EPA 548.1									
Initial Volume/Weight: 100 mL Final Volume/Weight: 1 mL									
Pace Analytical Services - Ormond Beach									
Endothall	3.3 U	ug/L	9.0	3.3	1	08/04/26 16:41	08/05/26 11:40		
524.2 MSV									
Analytical Method: EPA 524.2									
Initial Volume/Weight: 5 mL Final Volume/Weight: 5 mL									
Pace Analytical Services - Ormond Beach									
Acetone	3.6 U	ug/L	10.0	3.6	1		08/17/26 00:56	67-64-1	1p
Benzene	0.21 U	ug/L	0.50	0.21	1		08/17/26 00:56	71-43-2	
Bromobenzene	0.20 U	ug/L	1.0	0.20	1		08/17/26 00:56	108-86-1	
Bromochloromethane	0.25 U	ug/L	1.0	0.25	1		08/17/26 00:56	74-97-5	
Bromodichloromethane	16.4	ug/L	1.0	0.14	1		08/17/26 00:56	75-27-4	
Bromoform	3.1	ug/L	1.0	0.53	1		08/17/26 00:56	75-25-2	
Bromomethane	0.42 U	ug/L	1.0	0.42	1		08/17/26 00:56	74-83-9	
2-Butanone (MEK)	2.1 U	ug/L	4.0	2.1	1		08/17/26 00:56	78-93-3	N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

Sample: 5gal SPR#072613 Lab ID: 35055387001 Collected: 08/04/26 09:06 Received: 08/04/26 09:07 Matrix: Drinking Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV									
Analytical Method: EPA 524.2									
Initial Volume/Weight: 5 mL Final Volume/Weight: 5 mL									
Pace Analytical Services - Ormond Beach									
n-Butylbenzene	0.20 U	ug/L	1.0	0.20	1		08/17/26 00:56	104-51-8	
sec-Butylbenzene	0.24 U	ug/L	1.0	0.24	1		08/17/26 00:56	135-98-8	
tert-Butylbenzene	0.26 U	ug/L	1.0	0.26	1		08/17/26 00:56	98-06-6	
Carbon tetrachloride	0.25 U	ug/L	0.50	0.25	1		08/17/26 00:56	56-23-5	
Chlorobenzene	0.32 I	ug/L	0.50	0.18	1		08/17/26 00:56	108-90-7	
Chloroethane	0.40 U	ug/L	1.0	0.40	1		08/17/26 00:56	75-00-3	
Chloroform	11.3	ug/L	1.0	0.19	1		08/17/26 00:56	67-66-3	
Chloromethane	0.31 U	ug/L	2.0	0.31	1		08/17/26 00:56	74-87-3	
2-Chlorotoluene	0.27 U	ug/L	1.0	0.27	1		08/17/26 00:56	95-49-8	
4-Chlorotoluene	0.17 U	ug/L	1.0	0.17	1		08/17/26 00:56	106-43-4	
Dibromochloromethane	16.2	ug/L	1.0	0.48	1		08/17/26 00:56	124-48-1	
1,2-Dibromoethane (EDB)	0.19 U	ug/L	0.50	0.19	1		08/17/26 00:56	106-93-4	N2
Dibromomethane	0.53 U	ug/L	1.0	0.53	1		08/17/26 00:56	74-95-3	
1,2-Dichlorobenzene	0.30 U	ug/L	0.50	0.30	1		08/17/26 00:56	95-50-1	
1,3-Dichlorobenzene	0.13 U	ug/L	1.0	0.13	1		08/17/26 00:56	541-73-1	
1,4-Dichlorobenzene	0.25 U	ug/L	0.50	0.25	1		08/17/26 00:56	106-46-7	
Dichlorodifluoromethane	0.37 U	ug/L	1.0	0.37	1		08/17/26 00:56	75-71-8	
1,1-Dichloroethane	0.43 U	ug/L	1.0	0.43	1		08/17/26 00:56	75-34-3	
1,2-Dichloroethane	0.14 U	ug/L	0.50	0.14	1		08/17/26 00:56	107-06-2	
1,1-Dichloroethene	0.26 U	ug/L	0.50	0.26	1		08/17/26 00:56	75-35-4	
cis-1,2-Dichloroethene	0.27 U	ug/L	0.50	0.27	1		08/17/26 00:56	156-59-2	
trans-1,2-Dichloroethene	0.19 U	ug/L	0.50	0.19	1		08/17/26 00:56	156-60-5	
1,2-Dichloropropane	0.22 U	ug/L	0.50	0.22	1		08/17/26 00:56	78-87-5	
1,3-Dichloropropane	0.22 U	ug/L	1.0	0.22	1		08/17/26 00:56	142-28-9	
2,2-Dichloropropane	0.34 U	ug/L	1.0	0.34	1		08/17/26 00:56	594-20-7	1p,L3
1,1-Dichloropropene	0.40 U	ug/L	1.0	0.40	1		08/17/26 00:56	563-58-6	
trans-1,3-Dichloropropene	0.29 U	ug/L	1.0	0.29	1		08/17/26 00:56	10061-02-6	
Ethylbenzene	0.21 U	ug/L	0.50	0.21	1		08/17/26 00:56	100-41-4	
Hexachloro-1,3-butadiene	0.75 U	ug/L	1.0	0.75	1		08/17/26 00:56	87-68-3	1p
Isopropylbenzene (Cumene)	0.80 U	ug/L	1.0	0.80	1		08/17/26 00:56	98-82-8	
p-Isopropyltoluene	0.25 U	ug/L	1.0	0.25	1		08/17/26 00:56	99-87-6	
Methylene Chloride	0.46 U	ug/L	1.0	0.46	1		08/17/26 00:56	75-09-2	
Methyl-tert-butyl ether	0.33 U	ug/L	1.0	0.33	1		08/17/26 00:56	1634-04-4	
Naphthalene	0.27 U	ug/L	1.0	0.27	1		08/17/26 00:56	91-20-3	
n-Propylbenzene	0.16 U	ug/L	1.0	0.16	1		08/17/26 00:56	103-65-1	
Styrene	0.38 U	ug/L	0.50	0.38	1		08/17/26 00:56	100-42-5	1p
1,1,1,2-Tetrachloroethane	0.29 U	ug/L	1.0	0.29	1		08/17/26 00:56	630-20-6	
1,1,2,2-Tetrachloroethane	0.21 U	ug/L	1.0	0.21	1		08/17/26 00:56	79-34-5	
Tetrachloroethene	0.25 U	ug/L	0.50	0.25	1		08/17/26 00:56	127-18-4	
Toluene	0.19 U	ug/L	0.50	0.19	1		08/17/26 00:56	108-88-3	
Total Trihalomethanes (Calc.)	46.9	ug/L	1.0	0.53	1		08/17/26 00:56		
1,2,3-Trichlorobenzene	0.43 U	ug/L	1.0	0.43	1		08/17/26 00:56	87-61-6	
1,2,4-Trichlorobenzene	0.43 U	ug/L	0.50	0.43	1		08/17/26 00:56	120-82-1	
1,1,1-Trichloroethane	0.21 U	ug/L	0.50	0.21	1		08/17/26 00:56	71-55-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

Sample: 5gal SPR#072613 Lab ID: 35055387001 Collected: 08/04/26 09:06 Received: 08/04/26 09:07 Matrix: Drinking Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV									
Analytical Method: EPA 524.2									
Initial Volume/Weight: 5 mL Final Volume/Weight: 5 mL									
Pace Analytical Services - Ormond Beach									
1,1,2-Trichloroethane	0.20 U	ug/L	0.50	0.20	1		08/17/26 00:56	79-00-5	
Trichloroethene	0.19 U	ug/L	0.50	0.19	1		08/17/26 00:56	79-01-6	
Trichlorofluoromethane	0.43 U	ug/L	1.0	0.43	1		08/17/26 00:56	75-69-4	
1,2,3-Trichloropropane	0.31 U	ug/L	1.0	0.31	1		08/17/26 00:56	96-18-4	
1,1,2-Trichlorotrifluoroethane	0.29 U	ug/L	0.50	0.29	1		08/17/26 00:56	76-13-1	N2
1,2,3-Trimethylbenzene	0.19 U	ug/L	0.50	0.19	1		08/17/26 00:56	526-73-8	N2
1,2,4-Trimethylbenzene	0.34 U	ug/L	1.0	0.34	1		08/17/26 00:56	95-63-6	
1,3,5-Trimethylbenzene	0.25 U	ug/L	1.0	0.25	1		08/17/26 00:56	108-67-8	
Vinyl chloride	0.22 U	ug/L	0.50	0.22	1		08/17/26 00:56	75-01-4	
Xylene (Total)	0.45 U	ug/L	1.0	0.45	1		08/17/26 00:56	1330-20-7	
m&p-Xylene	0.45 U	ug/L	1.0	0.45	1		08/17/26 00:56	179601-23-1	
o-Xylene	0.44 U	ug/L	0.50	0.44	1		08/17/26 00:56	95-47-6	1p
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		08/17/26 00:56	460-00-4	
Toluene-d8 (S)	97	%	70-130		1		08/17/26 00:56	2037-26-5	
1,2-Dichlorobenzene-d4 (S)	113	%	70-130		1		08/17/26 00:56	2199-69-1	
180.1 Turbidity									
Analytical Method: EPA 180.1									
Initial Volume/Weight: 1 mL Final Volume/Weight: 1 mL									
Pace Analytical Services - Ormond Beach									
Turbidity	0.20 U	NTU	0.20	0.20	1		08/04/26 19:07		
2120B Apparent Color									
Analytical Method: SM2120B-01									
Pace Analytical Services - Ormond Beach									
Apparent Color	5.0	units	5.0	5.0	1		08/04/26 14:26		
pH	7.4	units			1		08/04/26 14:26		
2150B Threshold Odor Number									
Analytical Method: SM 2150B									
Pace Analytical Services - Ormond Beach									
Temperature, Water (C)	39.1	deg C			1		08/05/26 09:24		Q
Threshold Odor Number	1.0 U	TON	1.0	1.0	1		08/05/26 09:24		Q
2540C Total Dissolved Solids									
Analytical Method: SM 2540C									
Initial Volume/Weight: 100 mL Final Volume/Weight: 100 mL									
Pace Analytical Services - Ormond Beach									
Total Dissolved Solids	222	mg/L	5.0	5.0	1		08/11/26 11:06		
Chlorine, Residual,Total,Free									
Analytical Method: SM 4500-Cl D									
Initial Volume/Weight: 200 mL Final Volume/Weight: 200 mL									
Pace Analytical Services - Ormond Beach									
Chlorine, Total	0.10 U	mg/L	0.10	0.10	1		08/28/26 07:39	7782-50-5	Q
Chloramine	0.10 U	mg/L	0.10	0.10	1		08/28/26 07:39	10599-90-3	N2,Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

Sample: 5gal SPR#072613 Lab ID: 35055387001 Collected: 08/04/26 09:06 Received: 08/04/26 09:07 Matrix: Drinking Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
4500ClO2 Chlorine Dioxide Analytical Method: SM 4500-ClO2 Initial Volume/Weight: 10 mL Final Volume/Weight: 10 mL Pace Analytical Services - Ormond Beach									
Chlorine Dioxide	0.22	mg/L	0.20	0.080	1		08/13/26 13:21		Q
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B Pace Analytical Services - Ormond Beach									
pH at 25 Degrees C	7.4	Std. Units	0.10	0.10	1		08/22/26 13:22		Q
300.0 IC Anions 28 Days Analytical Method: EPA 300.0 Initial Volume/Weight: 15 mL Final Volume/Weight: 15 mL Pace Analytical Services - Ormond Beach									
Bromide	0.087 I	mg/L	0.10	0.036	1		08/26/26 01:03	24959-67-9	
Chloride	20.0	mg/L	5.0	2.5	1		08/26/26 01:03	16887-00-6	
Fluoride	0.30	mg/L	0.050	0.015	1		08/26/26 01:03	16984-48-8	
Sulfate	13.5	mg/L	5.0	2.5	1		08/26/26 01:03	14808-79-8	
300.1 Oxihalide IC Anions 14d Analytical Method: EPA 300.1 Initial Volume/Weight: 15 mL Final Volume/Weight: 15 mL Pace Analytical Services - Ormond Beach									
Chlorite Surrogates	2.8 U	ug/L	10.0	2.8	5		08/10/26 04:02		D3
Dichloroacetate (S)	105	%	90-115		5		08/10/26 04:02	79-43-6	
300.1 Oxihalide IC Anions 28d Analytical Method: EPA 300.1 Initial Volume/Weight: 15 mL Final Volume/Weight: 15 mL Pace Analytical Services - Ormond Beach									
Bromate	0.85 U	ug/L	5.0	0.85	5		08/10/26 04:02	15541-45-4	D3
Bromide	80.5	ug/L	10.0	4.0	5		08/10/26 04:02	24959-67-9	
Chlorate Surrogates	170	ug/L	10.0	2.9	5		08/10/26 04:02	7790-93-4	
Dichloroacetate (S)	105	%	90-115		5		08/10/26 04:02	79-43-6	
335.4 Cyanide, Total Analytical Method: EPA 335.4 Preparation Method: EPA 335.4 Initial Volume/Weight: 25 mL Final Volume/Weight: 25 mL Pace Analytical Services - Ormond Beach									
Cyanide	0.0050 U	mg/L	0.010	0.0050	1	08/11/26 10:38	08/11/26 14:15	57-12-5	
353.2 Nitrogen, NO2/NO3 unpres Analytical Method: EPA 353.2 Initial Volume/Weight: 50 mL Final Volume/Weight: 50 mL Pace Analytical Services - Ormond Beach									
Nitrogen, NO2 plus NO3	8.7	mg/L	0.25	0.075	5		08/04/26 15:11		J(M1)
Nitrogen, Nitrate	8.7	mg/L	0.25	0.12	5		08/04/26 15:11	14797-55-8	
Nitrogen, Nitrite	0.025 U	mg/L	0.050	0.025	1		08/04/26 14:58	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

QC Batch:	1211678	Analysis Method:	EPA 531.2
QC Batch Method:	EPA 531.2	Analysis Description:	531.2 HPLC Carbamate
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6628478 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbofuran	ug/L	0.18 U	0.90	0.18	08/10/26 21:33	
Oxamyl	ug/L	0.23 U	2.0	0.23	08/10/26 21:33	
BDMC (S)	%	101	70-130		08/10/26 21:33	

LABORATORY CONTROL SAMPLE: 6628479

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Carbofuran	ug/L	10	8.8	88	70-130	
Oxamyl	ug/L	10	9.7	97	70-130	
BDMC (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6628480 6628481

Parameter	Units	35054657002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Carbofuran	ug/L	<0.00018 mg/L	10	10	9.0	9.0	90	90	70-130	0	30	
Oxamyl	ug/L	<0.00023 mg/L	10	10	9.9	10	99	100	70-130	1	30	
BDMC (S)	%						101	102	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

QC Batch:	1212372	Analysis Method:	EPA 547
QC Batch Method:	EPA 547	Analysis Description:	547 HPLC Glyphosate
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6632713 Matrix: Water
Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Glyphosate	ug/L	4.2 U	6.0	4.2	08/07/26 09:17	

LABORATORY CONTROL SAMPLE: 6632714

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Glyphosate	ug/L	50	54.4	109	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6632715 6632716

Parameter	Units	35055965001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Glyphosate	ug/L	<4.2	50	50	55.1	54.3	110	109	80-120	1	30	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6632717 6632718

Parameter	Units	35055966002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Glyphosate	ug/L	<4.2	50	50	52.8	51.4	106	103	80-120	3	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

QC Batch:	1218998	Analysis Method:	EPA 245.1
QC Batch Method:	EPA 245.1	Analysis Description:	245.1 Mercury
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6672026 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	ug/L	0.14 U	0.20	0.14	08/31/26 11:49	

LABORATORY CONTROL SAMPLE: 6672027

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	2	1.9	96	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6672028 6672029

Parameter	Units	35055387001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	ug/L	0.14 U	2	2	2.0	2.0	100	99	70-130	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6672030 6672031

Parameter	Units	35060521006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	ug/L	0.14 U	2	2	1.9	1.9	96	96	70-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

QC Batch:	1213456	Analysis Method:	EPA 200.7
QC Batch Method:	EPA 200.7	Analysis Description:	200.7 MET Drinking Water
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6639051 Matrix: Drinking Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Barium	ug/L	2.4 U	10.0	2.4	08/11/26 12:59	
Beryllium	ug/L	0.19 U	4.0	0.19	08/11/26 12:59	
Cadmium	ug/L	0.22 U	1.0	0.22	08/11/26 12:59	
Chromium	ug/L	1.5 U	5.0	1.5	08/11/26 12:59	
Iron	ug/L	21.0 U	40.0	21.0	08/11/26 12:59	
Manganese	ug/L	1.3 U	5.0	1.3	08/11/26 12:59	
Nickel	ug/L	2.0 U	5.0	2.0	08/11/26 12:59	
Silver	ug/L	2.2 U	5.0	2.2	08/11/26 12:59	
Zinc	ug/L	7.7 U	20.0	7.7	08/11/26 12:59	

LABORATORY CONTROL SAMPLE: 6639052

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Barium	ug/L	250	260	104	85-115	
Beryllium	ug/L	25	25.1	100	85-115	
Cadmium	ug/L	25	26.1	104	85-115	
Chromium	ug/L	250	253	101	85-115	
Iron	ug/L	2500	2580	103	85-115	
Manganese	ug/L	250	254	102	85-115	
Nickel	ug/L	250	261	104	85-115	
Silver	ug/L	25	22.9	92	85-115	
Zinc	ug/L	1250	1310	104	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6639053 6639054

Parameter	Units	35054332001	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result										
Barium	ug/L	<0.0024 mg/L	250	250	258	259	103	104	70-130	0	20	
Beryllium	ug/L	<0.00019 mg/L	25	25	25.1	25.0	100	100	70-130	1	20	
Cadmium	ug/L	<0.00022 mg/L	25	25	26.2	26.1	105	104	70-130	0	20	
Chromium	ug/L	<0.0015 mg/L	250	250	259	254	103	101	70-130	2	20	
Iron	ug/L	<0.021 mg/L	2500	2500	2650	2580	106	103	70-130	3	20	
Manganese	ug/L	<0.0013 mg/L	250	250	259	256	103	103	70-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6639053											
Parameter	Units	35054332001	MS	MSD	MS	MSD	MS	MSD	% Rec	Limits	Max
		Result	Spike	Spike							
Nickel	ug/L	<0.0020 mg/L	250	250	262	261	105	104	70-130	0	20
Silver	ug/L	<0.0022 mg/L	25	25	23.5	23.4	94	93	70-130	0	20
Zinc	ug/L	<0.0077 mg/L	1250	1250	1310	1310	105	104	70-130	0	20

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6639055											
Parameter	Units	35054589001	MS	MSD	MS	MSD	MS	MSD	% Rec	Limits	Max
		Result	Spike	Spike							
Barium	ug/L	0.0054 I mg/L	250	250	268	275	105	108	70-130	2	20
Beryllium	ug/L	<0.00019 mg/L	25	25	25.3	25.5	101	102	70-130	1	20
Cadmium	ug/L	<0.00022 mg/L	25	25	26.1	26.2	104	105	70-130	0	20
Chromium	ug/L	<0.0015 mg/L	250	250	253	272	101	109	70-130	7	20
Iron	ug/L	0.032 I mg/L	2500	2500	2660	2820	105	111	70-130	6	20
Manganese	ug/L	<0.0013 mg/L	250	250	256	260	102	104	70-130	2	20
Nickel	ug/L	<0.0020 mg/L	250	250	262	264	105	105	70-130	1	20
Silver	ug/L	<0.0022 mg/L	25	25	23.7	24.1	94	96	70-130	2	20
Zinc	ug/L	<0.0077 mg/L	1250	1250	1310	1310	105	105	70-130	0	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch:	1213457	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET Drinking Water
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6639058 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	ug/L	8.6 U	10.0	8.6	08/11/26 17:17	
Antimony	ug/L	0.88 U	1.0	0.88	08/11/26 17:17	
Arsenic	ug/L	0.50 U	1.0	0.50	08/11/26 17:17	
Copper	ug/L	0.93 U	1.0	0.93	08/11/26 17:17	
Lead	ug/L	0.11 U	1.0	0.11	08/11/26 17:17	
Selenium	ug/L	0.83 U	1.0	0.83	08/11/26 17:17	
Thallium	ug/L	0.21 U	1.0	0.21	08/11/26 17:17	
Uranium	ug/L	0.19 U	1.0	0.19	08/11/26 17:17	

LABORATORY CONTROL SAMPLE: 6639059

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	ug/L	500	520	104	85-115	
Antimony	ug/L	50	50.5	101	85-115	
Arsenic	ug/L	50	49.2	98	85-115	
Copper	ug/L	50	48.8	98	85-115	
Lead	ug/L	50	48.9	98	85-115	
Selenium	ug/L	50	50.1	100	85-115	
Thallium	ug/L	50	49.4	99	85-115	
Uranium	ug/L	50	52.6	105	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6639060 6639061

Parameter	Units	35054502002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Aluminum	ug/L	<0.0086 mg/L	500	500	503	498	100	99	70-130	1	20	
Antimony	ug/L	<0.00088 mg/L	50	50	49.7	50.2	99	100	70-130	1	20	
Arsenic	ug/L	<0.00050 mg/L	50	50	49.1	48.8	97	97	70-130	1	20	
Copper	ug/L	0.0017 mg/L	50	50	50.8	50.6	98	98	70-130	0	20	
Lead	ug/L	0.00022 mg/L	50	50	49.3	49.8	98	99	70-130	1	20	
Selenium	ug/L	<0.00083 mg/L	50	50	49.5	49.8	99	99	70-130	1	20	
Thallium	ug/L	<0.00021 mg/L	50	50	49.1	49.4	98	99	70-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:												6639060		6639061	
Parameter	Units	35054502002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual			
Uranium	ug/L	<0.00019 mg/L	50	50	54.1	52.9	108	106	70-130	2	20				

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6639062					6639063							
Parameter	Units	35054589002	MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Max	Qual
		Result	Spike Conc.	Spike Conc.								
Aluminum	ug/L	<0.0086 mg/L	500	500	505	509	100	101	70-130	1	20	
Antimony	ug/L	<0.00088 mg/L	50	50	52.0	52.3	104	105	70-130	1	20	
Arsenic	ug/L	<0.00050 mg/L	50	50	51.8	51.9	103	103	70-130	0	20	
Copper	ug/L	<0.00093 mg/L	50	50	50.9	51.0	101	101	70-130	0	20	
Lead	ug/L	0.00021 mg/L	50	50	49.8	50.4	99	100	70-130	1	20	
Selenium	ug/L	<0.00083 mg/L	50	50	50.7	50.6	101	101	70-130	0	20	
Thallium	ug/L	<0.00021 mg/L	50	50	49.1	49.8	98	100	70-130	1	20	
Uranium	ug/L	<0.00019 mg/L	50	50	55.1	55.9	110	112	70-130	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch: 1215146

Analysis Method: EPA 524.2

QC Batch Method: EPA 524.2

Analysis Description: 524.2 MSV

Laboratory: Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6648858

Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	0.29 U	1.0	0.29	08/16/26 21:44	
1,1,1-Trichloroethane	ug/L	0.21 U	0.50	0.21	08/16/26 21:44	
1,1,2,2-Tetrachloroethane	ug/L	0.21 U	1.0	0.21	08/16/26 21:44	
1,1,2-Trichloroethane	ug/L	0.20 U	0.50	0.20	08/16/26 21:44	
1,1,2-Trichlorotrifluoroethane	ug/L	0.29 U	0.50	0.29	08/16/26 21:44	N2
1,1-Dichloroethane	ug/L	0.43 U	1.0	0.43	08/16/26 21:44	
1,1-Dichloroethene	ug/L	0.26 U	0.50	0.26	08/16/26 21:44	
1,1-Dichloropropene	ug/L	0.40 U	1.0	0.40	08/16/26 21:44	
1,2,3-Trichlorobenzene	ug/L	0.43 U	1.0	0.43	08/16/26 21:44	
1,2,3-Trichloropropane	ug/L	0.31 U	1.0	0.31	08/16/26 21:44	
1,2,3-Trimethylbenzene	ug/L	0.19 U	0.50	0.19	08/16/26 21:44	N2
1,2,4-Trichlorobenzene	ug/L	0.43 U	0.50	0.43	08/16/26 21:44	
1,2,4-Trimethylbenzene	ug/L	0.34 U	1.0	0.34	08/16/26 21:44	
1,2-Dibromoethane (EDB)	ug/L	0.19 U	0.50	0.19	08/16/26 21:44	N2
1,2-Dichlorobenzene	ug/L	0.30 U	0.50	0.30	08/16/26 21:44	
1,2-Dichloroethane	ug/L	0.14 U	0.50	0.14	08/16/26 21:44	
1,2-Dichloropropane	ug/L	0.22 U	0.50	0.22	08/16/26 21:44	
1,3,5-Trimethylbenzene	ug/L	0.25 U	1.0	0.25	08/16/26 21:44	
1,3-Dichlorobenzene	ug/L	0.13 U	1.0	0.13	08/16/26 21:44	
1,3-Dichloropropane	ug/L	0.22 U	1.0	0.22	08/16/26 21:44	
1,4-Dichlorobenzene	ug/L	0.25 U	0.50	0.25	08/16/26 21:44	
2,2-Dichloropropane	ug/L	0.34 U	1.0	0.34	08/16/26 21:44	
2-Butanone (MEK)	ug/L	2.1 U	4.0	2.1	08/16/26 21:44	N2
2-Chlorotoluene	ug/L	0.27 U	1.0	0.27	08/16/26 21:44	
4-Chlorotoluene	ug/L	0.17 U	1.0	0.17	08/16/26 21:44	
Acetone	ug/L	3.6 U	10.0	3.6	08/16/26 21:44	
Benzene	ug/L	0.21 U	0.50	0.21	08/16/26 21:44	
Bromobenzene	ug/L	0.20 U	1.0	0.20	08/16/26 21:44	
Bromochloromethane	ug/L	0.25 U	1.0	0.25	08/16/26 21:44	
Bromodichloromethane	ug/L	0.14 U	1.0	0.14	08/16/26 21:44	
Bromoform	ug/L	0.53 U	1.0	0.53	08/16/26 21:44	
Bromomethane	ug/L	0.42 U	1.0	0.42	08/16/26 21:44	
Carbon tetrachloride	ug/L	0.25 U	0.50	0.25	08/16/26 21:44	
Chlorobenzene	ug/L	0.18 U	0.50	0.18	08/16/26 21:44	
Chloroethane	ug/L	0.40 U	1.0	0.40	08/16/26 21:44	
Chloroform	ug/L	0.19 U	1.0	0.19	08/16/26 21:44	
Chloromethane	ug/L	0.31 U	2.0	0.31	08/16/26 21:44	
cis-1,2-Dichloroethene	ug/L	0.27 U	0.50	0.27	08/16/26 21:44	
Dibromochloromethane	ug/L	0.48 U	1.0	0.48	08/16/26 21:44	
Dibromomethane	ug/L	0.53 U	1.0	0.53	08/16/26 21:44	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

METHOD BLANK: 6648858

Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Dichlorodifluoromethane	ug/L	0.37 U	1.0	0.37	08/16/26 21:44	
Ethylbenzene	ug/L	0.21 U	0.50	0.21	08/16/26 21:44	
Hexachloro-1,3-butadiene	ug/L	0.75 U	1.0	0.75	08/16/26 21:44	
Isopropylbenzene (Cumene)	ug/L	0.80 U	1.0	0.80	08/16/26 21:44	
m&p-Xylene	ug/L	0.45 U	1.0	0.45	08/16/26 21:44	
Methyl-tert-butyl ether	ug/L	0.33 U	1.0	0.33	08/16/26 21:44	
Methylene Chloride	ug/L	0.46 U	1.0	0.46	08/16/26 21:44	
n-Butylbenzene	ug/L	0.20 U	1.0	0.20	08/16/26 21:44	
n-Propylbenzene	ug/L	0.16 U	1.0	0.16	08/16/26 21:44	
Naphthalene	ug/L	0.27 U	1.0	0.27	08/16/26 21:44	
o-Xylene	ug/L	0.44 U	0.50	0.44	08/16/26 21:44	
p-Isopropyltoluene	ug/L	0.25 U	1.0	0.25	08/16/26 21:44	
sec-Butylbenzene	ug/L	0.24 U	1.0	0.24	08/16/26 21:44	
Styrene	ug/L	0.38 U	0.50	0.38	08/16/26 21:44	
tert-Butylbenzene	ug/L	0.26 U	1.0	0.26	08/16/26 21:44	
Tetrachloroethene	ug/L	0.25 U	0.50	0.25	08/16/26 21:44	
Toluene	ug/L	0.19 U	0.50	0.19	08/16/26 21:44	
Total Trihalomethanes (Calc.)	ug/L	0.53 U	1.0	0.53	08/16/26 21:44	
trans-1,2-Dichloroethene	ug/L	0.19 U	0.50	0.19	08/16/26 21:44	
trans-1,3-Dichloropropene	ug/L	0.29 U	1.0	0.29	08/16/26 21:44	
Trichloroethene	ug/L	0.19 U	0.50	0.19	08/16/26 21:44	
Trichlorofluoromethane	ug/L	0.43 U	1.0	0.43	08/16/26 21:44	
Vinyl chloride	ug/L	0.22 U	0.50	0.22	08/16/26 21:44	
Xylene (Total)	ug/L	0.45 U	1.0	0.45	08/16/26 21:44	
1,2-Dichlorobenzene-d4 (S)	%	112	70-130		08/16/26 21:44	
4-Bromofluorobenzene (S)	%	92	70-130		08/16/26 21:44	
Toluene-d8 (S)	%	96	70-130		08/16/26 21:44	

LABORATORY CONTROL SAMPLE & LCSD: 6648859

6648860

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.5	20.6	102	103	70-130	1	20	
1,1,1-Trichloroethane	ug/L	20	21.0	20.3	105	101	70-130	4	20	
1,1,2,2-Tetrachloroethane	ug/L	20	22.4	21.7	112	108	70-130	3	20	
1,1,2-Trichloroethane	ug/L	20	20.3	20.0	102	100	70-130	2	20	
1,1,2-Trichlorotrifluoroethane	ug/L	20	25.5	25.4	127	127	70-130	0	20	N2
1,1-Dichloroethane	ug/L	20	20.6	19.5	103	98	70-130	6	20	
1,1-Dichloroethene	ug/L	20	20.7	20.6	104	103	70-130	0	20	
1,1-Dichloropropene	ug/L	20	20.3	19.8	101	99	70-130	2	20	
1,2,3-Trichlorobenzene	ug/L	20	20.5	21.5	103	108	70-130	5	20	
1,2,3-Trichloropropane	ug/L	20	19.3	20.0	97	100	70-130	4	20	
1,2,3-Trimethylbenzene	ug/L	20	20.8	21.3	104	106	70-130	2	20	N2
1,2,4-Trichlorobenzene	ug/L	20	20.3	20.4	101	102	70-130	1	20	
1,2,4-Trimethylbenzene	ug/L	20	23.0	22.8	115	114	70-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

LABORATORY CONTROL SAMPLE & LCSD: 6648859

6648860

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,2-Dibromoethane (EDB)	ug/L	20	20.9	21.1	105	105	70-130	1	20	N2
1,2-Dichlorobenzene	ug/L	20	20.3	20.3	102	101	70-130	0	20	
1,2-Dichloroethane	ug/L	20	20.0	19.4	100	97	70-130	3	20	
1,2-Dichloropropane	ug/L	20	19.3	18.9	97	94	70-130	2	20	
1,3,5-Trimethylbenzene	ug/L	20	22.5	22.1	113	111	70-130	2	20	
1,3-Dichlorobenzene	ug/L	20	21.0	22.5	105	113	70-130	7	20	
1,3-Dichloropropane	ug/L	20	19.7	19.4	99	97	70-130	2	20	
1,4-Dichlorobenzene	ug/L	20	20.8	21.4	104	107	70-130	3	20	
2,2-Dichloropropane	ug/L	20	27.0	25.9	135	129	70-130	4	20	J(L1)
2-Butanone (MEK)	ug/L	100	92.6	92.4	93	92	70-130	0	20	N2
2-Chlorotoluene	ug/L	20	20.7	20.2	104	101	70-130	3	20	
4-Chlorotoluene	ug/L	20	21.6	21.2	108	106	70-130	2	20	
Acetone	ug/L	100	101	93.5	101	94	70-130	7	20	
Benzene	ug/L	20	20.9	20.5	105	103	70-130	2	20	
Bromobenzene	ug/L	20	20.1	20.1	100	101	70-130	0	20	
Bromochloromethane	ug/L	20	21.7	21.2	108	106	70-130	2	20	
Bromodichloromethane	ug/L	20	19.7	20.0	98	100	70-130	2	20	
Bromoform	ug/L	20	22.7	22.9	114	114	70-130	1	20	
Bromomethane	ug/L	20	17.0	19.2	85	96	70-130	12	20	
Carbon tetrachloride	ug/L	20	20.3	19.5	102	98	70-130	4	20	
Chlorobenzene	ug/L	20	21.1	20.8	106	104	70-130	2	20	
Chloroethane	ug/L	20	18.1	18.1	90	90	70-130	0	20	
Chloroform	ug/L	20	19.7	19.3	98	96	70-130	2	20	
Chloromethane	ug/L	20	16.5	17.2	83	86	70-130	4	20	
cis-1,2-Dichloroethene	ug/L	20	21.1	19.0	105	95	70-130	11	20	
Dibromochloromethane	ug/L	20	21.5	21.5	108	108	70-130	0	20	
Dibromomethane	ug/L	20	22.0	22.3	110	111	70-130	1	20	
Dichlorodifluoromethane	ug/L	20	20.5	21.2	102	106	70-130	3	20	
Ethylbenzene	ug/L	20	22.1	21.6	111	108	70-130	3	20	
Hexachloro-1,3-butadiene	ug/L	20	22.2	22.4	111	112	70-130	1	20	
Isopropylbenzene (Cumene)	ug/L	20	22.3	21.8	112	109	70-130	2	20	
m&p-Xylene	ug/L	40	49.3	48.0	123	120	70-130	3	20	
Methyl-tert-butyl ether	ug/L	20	20.5	21.0	102	105	70-130	3	20	
Methylene Chloride	ug/L	20	16.8	16.8	84	84	70-130	0	20	
n-Butylbenzene	ug/L	20	22.6	22.6	113	113	70-130	0	20	
n-Propylbenzene	ug/L	20	22.6	22.1	113	110	70-130	3	20	
Naphthalene	ug/L	20	18.8	19.5	94	98	70-130	4	20	
o-Xylene	ug/L	20	20.0	19.5	100	98	70-130	2	20	
p-Isopropyltoluene	ug/L	20	23.1	23.0	116	115	70-130	1	20	
sec-Butylbenzene	ug/L	20	22.8	22.7	114	113	70-130	1	20	
Styrene	ug/L	20	17.9	19.4	89	97	70-130	8	20	
tert-Butylbenzene	ug/L	20	20.8	21.4	104	107	70-130	3	20	
Tetrachloroethene	ug/L	20	23.1	23.0	115	115	70-130	0	20	
Toluene	ug/L	20	20.9	20.6	104	103	70-130	1	20	
Total Trihalomethanes (Calc.)	ug/L	80	83.6	83.7	105	105	70-130	0	20	
trans-1,2-Dichloroethene	ug/L	20	20.0	19.9	100	99	70-130	1	20	
trans-1,3-Dichloropropene	ug/L	20	23.1	22.2	115	111	70-130	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

LABORATORY CONTROL SAMPLE & LCSD: 6648859			6648860							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Trichloroethene	ug/L	20	20.1	19.5	100	98	70-130	3	20	
Trichlorofluoromethane	ug/L	20	21.1	20.9	106	104	70-130	1	20	
Vinyl chloride	ug/L	20	17.1	18.3	86	92	70-130	7	20	
Xylene (Total)	ug/L	60	69.3	67.5	115	112	70-130	3	20	
1,2-Dichlorobenzene-d4 (S)	%				98	98	70-130			
4-Bromofluorobenzene (S)	%				104	102	70-130			
Toluene-d8 (S)	%				99	98	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

QC Batch:	1215300	Analysis Method:	EPA 504.1
QC Batch Method:	EPA 504.1	Analysis Description:	504 EDB DBCP
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6649230 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2-Dibromo-3-chloropropane	ug/L	0.0064 U	0.020	0.0064	08/17/26 16:55	
1,2-Dibromoethane (EDB)	ug/L	0.0075 U	0.010	0.0075	08/17/26 16:55	

LABORATORY CONTROL SAMPLE & LCSD: 6649231

6649292

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,2-Dibromo-3-chloropropane	ug/L	0.25	0.25	0.26	101	103	70-130	2	40	
1,2-Dibromoethane (EDB)	ug/L	0.25	0.25	0.25	99	101	70-130	1	40	

MATRIX SPIKE SAMPLE: 6649300

Parameter	Units	40316964001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,2-Dibromo-3-chloropropane	ug/L	<0.0063	0.25	0.23	93	65-135	
1,2-Dibromoethane (EDB)	ug/L	<0.0074	0.25	0.23	91	65-135	

SAMPLE DUPLICATE: 6649301

Parameter	Units	40316964002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,2-Dibromo-3-chloropropane	ug/L	<0.0063	0.0063 U		40	
1,2-Dibromoethane (EDB)	ug/L	<0.0074	0.0074 U		40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch: 1213448

Analysis Method: EPA 505

QC Batch Method: EPA 505

Analysis Description: 505 GCS PCB-TOX-TCH

Laboratory: Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6638979

Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chlordane (Technical)	ug/L	0.015 U	0.20	0.015	08/12/26 11:27	
PCB-1016 (Aroclor 1016)	ug/L	0.018 U	0.10	0.018	08/12/26 11:27	
PCB-1221 (Aroclor 1221)	ug/L	0.039 U	0.10	0.039	08/12/26 11:27	
PCB-1232 (Aroclor 1232)	ug/L	0.044 U	0.10	0.044	08/12/26 11:27	
PCB-1242 (Aroclor 1242)	ug/L	0.031 U	0.10	0.031	08/12/26 11:27	
PCB-1248 (Aroclor 1248)	ug/L	0.025 U	0.10	0.025	08/12/26 11:27	
PCB-1254 (Aroclor 1254)	ug/L	0.036 U	0.10	0.036	08/12/26 11:27	
PCB-1260 (Aroclor 1260)	ug/L	0.029 U	0.10	0.029	08/12/26 11:27	
Toxaphene	ug/L	0.27 U	1.0	0.27	08/12/26 11:27	

LABORATORY CONTROL SAMPLE: 6638980

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L	0.71	0.79	111	70-130	
PCB-1260 (Aroclor 1260)	ug/L	0.72	0.69	96	70-130	

LABORATORY CONTROL SAMPLE: 6638981

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L	0.071	0.056 I	79	50-150	
PCB-1260 (Aroclor 1260)	ug/L	0.072	0.047 I	65	50-150	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6638984 6638985

Parameter	Units	35056147002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
PCB-1016 (Aroclor 1016)	ug/L	<0.019	0.73	0.74	0.73	0.78	100	106	70-130	6	20	
PCB-1260 (Aroclor 1260)	ug/L	<0.030	0.73	0.74	0.71	0.82	97	111	70-130	14	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6639161 6639162

Parameter	Units	35056145001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
PCB-1016 (Aroclor 1016)	ug/L	<0.018	0.73	0.73	0.81	0.74	112	102	70-130	8	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:												
6639161					6639162							
		35056145001	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Parameter	Units	Result										
PCB-1260 (Aroclor 1260)	ug/L	<0.029	0.73	0.73	0.68	0.64	94	87	70-130	7	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

QC Batch:	1212322	Analysis Method:	EPA 515.3
QC Batch Method:	EPA 515.3	Analysis Description:	5153 GCS Herbicides
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6632452 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
2,4,5-T	ug/L	0.16 U	0.20	0.16	08/07/26 06:08	
2,4,5-TP (Silvex)	ug/L	0.059 U	0.20	0.059	08/07/26 06:08	
2,4-D	ug/L	0.096 U	0.10	0.096	08/07/26 06:08	
2,4-DB	ug/L	0.68 U	2.0	0.68	08/07/26 06:08	
Acifluorfen	ug/L	0.078 U	0.10	0.078	08/07/26 06:08	
Bentazon	ug/L	0.16 U	0.20	0.16	08/07/26 06:08	
Dalapon	ug/L	0.49 U	1.0	0.49	08/07/26 06:08	
Dicamba	ug/L	0.067 U	0.10	0.067	08/07/26 06:08	
Dichlorprop	ug/L	0.23 U	0.70	0.23	08/07/26 06:08	
Dinoseb	ug/L	0.16 U	0.20	0.16	08/07/26 06:08	
Pentachlorophenol	ug/L	0.031 U	0.040	0.031	08/07/26 06:08	
Picloram	ug/L	0.040 U	0.10	0.040	08/07/26 06:08	
2,4-DCAA (S)	%	109	70-130		08/07/26 06:08	

LABORATORY CONTROL SAMPLE: 6632453

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/L	0.8	0.96	120	70-130	
2,4,5-TP (Silvex)	ug/L	0.8	0.85	106	70-130	
2,4-D	ug/L	0.4	0.42	104	70-130	
2,4-DB	ug/L	8	8.9	111	70-130	
Acifluorfen	ug/L	0.4	0.47	117	70-130	
Bentazon	ug/L	0.8	0.87	109	70-130	
Dalapon	ug/L	4	4.1	103	70-130	
Dicamba	ug/L	0.4	0.48	120	70-130	
Dichlorprop	ug/L	2.8	3.0	108	70-130	
Dinoseb	ug/L	0.8	0.94	118	70-130	
Pentachlorophenol	ug/L	0.16	0.17	104	70-130	
Picloram	ug/L	0.4	0.48	119	70-130	
2,4-DCAA (S)	%			114	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6632454 6632455

Parameter	Units	35055953001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
2,4,5-T	ug/L	<0.16	0.8	0.8	1.1	1.0	140	130	70-130	7	40	J(M1)
2,4,5-TP (Silvex)	ug/L	<0.059	0.8	0.8	0.94	0.90	118	112	70-130	5	40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6632454 6632455												
		35055953001	MS Spike	MSD Spike	MS	MSD	MS	MSD	% Rec		Max	
Parameter	Units	Result	Conc.	Conc.	Result	Result	% Rec	% Rec	Limits	RPD	RPD	Qual
2,4-D	ug/L	<0.096	0.4	0.4	0.48	0.45	120	113	70-130	6	40	
2,4-DB	ug/L	<0.68	8	8	9.3	9.1	116	114	70-130	2	40	
Acifluorfen	ug/L	<0.078	0.4	0.4	0.47	0.46	118	116	70-130	1	40	
Bentazon	ug/L	<0.16	0.8	0.8	0.82	0.84	102	105	70-130	3	40	
Dalapon	ug/L	<0.49	4	4	4.0	4.0	100	99	70-130	1	40	
Dicamba	ug/L	<0.067	0.4	0.4	0.50	0.47	124	117	70-130	6	40	
Dichlorprop	ug/L	<0.23	2.8	2.8	3.2	3.1	115	111	70-130	3	40	
Dinoseb	ug/L	<0.16	0.8	0.8	1.0	0.98	125	122	70-130	2	40	
Pentachlorophenol	ug/L	<0.031	0.16	0.16	0.17	0.16	105	101	70-130	4	40	
Picloram	ug/L	<0.040	0.4	0.4	0.47	0.49	118	121	70-130	3	40	
2,4-DCAA (S)	%						123	120	70-130			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6632456 6632457												
Parameter	Units	35056003002	MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Max	Qual
		Result	Spike	Spike								
2,4,5-T	ug/L	0.16 U	0.8	0.8	0.88	0.95	110	118	70-130	7	40	
2,4,5-TP (Silvex)	ug/L	0.059 U	0.8	0.8	0.84	0.84	105	104	70-130	0	40	
2,4-D	ug/L	0.096 U	0.4	0.4	0.42	0.43	105	106	70-130	1	40	
2,4-DB	ug/L	0.68 U	8	8	8.5	8.8	106	110	70-130	4	40	
Acifluorfen	ug/L	0.078 U	0.4	0.4	0.41	0.41	102	102	70-130	0	40	
Bentazon	ug/L	0.16 U	0.8	0.8	0.79	0.77	99	96	70-130	4	40	
Dalapon	ug/L	0.49 U	4	4	4.0	4.0	100	99	70-130	0	40	
Dicamba	ug/L	0.067 U	0.4	0.4	0.47	0.48	117	120	70-130	3	40	
Dichlorprop	ug/L	0.23 U	2.8	2.8	2.9	2.9	104	104	70-130	1	40	
Dinoseb	ug/L	0.16 U	0.8	0.8	0.90	0.94	113	118	70-130	4	40	
Pentachlorophenol	ug/L	0.031 U	0.16	0.16	0.16	0.16	102	102	70-130	0	40	
Picloram	ug/L	0.040 U	0.4	0.4	0.46	0.45	115	112	70-130	2	40	
2,4-DCAA (S)	%						110	110	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

QC Batch:	1214238	Analysis Method:	EPA 525.3
QC Batch Method:	EPA 525.3	Analysis Description:	525.3 Pesticides Semivolatiles
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6643770 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Alachlor	ug/L	0.030 U	0.20	0.030	08/13/26 16:44	
Atrazine	ug/L	0.015 U	0.10	0.015	08/13/26 16:44	
Benzo(a)pyrene	ug/L	0.020 U	0.10	0.020	08/13/26 16:44	
bis(2-Ethylhexyl)adipate	ug/L	0.37 U	1.5	0.37	08/13/26 16:44	
bis(2-Ethylhexyl)phthalate	ug/L	0.48 U	2.0	0.48	08/13/26 16:44	
Endrin	ug/L	0.0052 U	0.010	0.0052	08/13/26 16:44	
gamma-BHC (Lindane)	ug/L	0.0059 U	0.020	0.0059	08/13/26 16:44	
Heptachlor	ug/L	0.014 U	0.040	0.014	08/13/26 16:44	
Heptachlor epoxide	ug/L	0.0031 U	0.020	0.0031	08/13/26 16:44	
Hexachlorobenzene	ug/L	0.015 U	0.10	0.015	08/13/26 16:44	
Hexachlorocyclopentadiene	ug/L	0.025 U	0.10	0.025	08/13/26 16:44	
Methoxychlor	ug/L	0.056 U	0.10	0.056	08/13/26 16:44	
Simazine	ug/L	0.041 U	0.18	0.041	08/13/26 16:44	
1,3-Dimethyl-2-nitrobenzene(S)	%	89	70-130		08/13/26 16:44	
Benzo(a)pyrene-d12 (S)	%	79	70-130		08/13/26 16:44	
Triphenylphosphate (S)	%	96	70-130		08/13/26 16:44	

LABORATORY CONTROL SAMPLE: 6643771

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Alachlor	ug/L	0.8	0.75	93	70-130	
Atrazine	ug/L	0.4	0.37	93	70-130	
Benzo(a)pyrene	ug/L	0.4	0.33	82	70-130	
bis(2-Ethylhexyl)adipate	ug/L	6	4.8	80	70-130	
bis(2-Ethylhexyl)phthalate	ug/L	8	6.3	79	70-130	
Endrin	ug/L	0.04	0.041	103	70-130	
gamma-BHC (Lindane)	ug/L	0.08	0.075	94	70-130	
Heptachlor	ug/L	0.16	0.14	90	70-130	
Heptachlor epoxide	ug/L	0.08	0.076	95	70-130	
Hexachlorobenzene	ug/L	0.4	0.35	88	60-130	
Hexachlorocyclopentadiene	ug/L	0.4	0.34	85	60-130	
Methoxychlor	ug/L	0.4	0.37	91	70-130	
Simazine	ug/L	0.7	0.59	84	70-130	
1,3-Dimethyl-2-nitrobenzene(S)	%			97	70-130	
Benzo(a)pyrene-d12 (S)	%			83	70-130	
Triphenylphosphate (S)	%			96	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

LABORATORY CONTROL SAMPLE: 6643772

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Alachlor	ug/L	0.2	0.19 I	94	50-150	
Atrazine	ug/L	0.1	0.095 I	95	50-150	
Benzo(a)pyrene	ug/L	0.1	0.077 I	77	50-150	
bis(2-Ethylhexyl)adipate	ug/L	1.5	1.2 I	78	50-150	
bis(2-Ethylhexyl)phthalate	ug/L	2	1.6 I	81	50-150	
Endrin	ug/L	0.01	0.010	104	50-150	
gamma-BHC (Lindane)	ug/L	0.02	0.019 I	96	50-150	
Heptachlor	ug/L	0.04	0.037 I	94	50-150	
Heptachlor epoxide	ug/L	0.02	0.021	106	50-150	
Hexachlorobenzene	ug/L	0.1	0.10 I	100	50-150	
Hexachlorocyclopentadiene	ug/L	0.1	0.085 I	85	50-150	
Methoxychlor	ug/L	0.1	0.088 I	88	50-150	
Simazine	ug/L	0.18	0.15 I	85	50-150	
1,3-Dimethyl-2-nitrobenzene(S)	%			93	70-130	
Benzo(a)pyrene-d12 (S)	%			83	70-130	
Triphenylphosphate (S)	%			101	70-130	

MATRIX SPIKE SAMPLE: 6643793

Parameter	Units	35057313004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Alachlor	ug/L	0.030 U	1.6	1.6	97	70-130	
Atrazine	ug/L	0.015 U	0.8	0.71	88	70-130	
Benzo(a)pyrene	ug/L	0.020 U	0.8	0.70	87	70-130	
bis(2-Ethylhexyl)adipate	ug/L	0.36 U	12	9.9	82	70-130	
bis(2-Ethylhexyl)phthalate	ug/L	0.47 U	16	13.6	84	70-130	
Endrin	ug/L	0.0051 U	0.08	0.091	114	70-130	
gamma-BHC (Lindane)	ug/L	0.0058 U	0.16	0.18	109	70-130	
Heptachlor	ug/L	0.014 U	0.32	0.30	94	70-130	
Heptachlor epoxide	ug/L	0.0030 U	0.16	0.16	101	70-130	
Hexachlorobenzene	ug/L	0.015 U	0.8	0.73	91	60-130	
Hexachlorocyclopentadiene	ug/L	0.025 U	0.8	0.71	86	60-130	
Methoxychlor	ug/L	0.055 U	0.8	0.78	97	70-130	
Simazine	ug/L	0.040 U	1.4	1.2	82	70-130	
1,3-Dimethyl-2-nitrobenzene(S)	%				89	70-130	
Benzo(a)pyrene-d12 (S)	%				87	70-130	
Triphenylphosphate (S)	%				102	70-130	

SAMPLE DUPLICATE: 6643794

Parameter	Units	35057313002 Result	Dup Result	RPD	Max RPD	Qualifiers
Alachlor	ug/L	0.030 U	0.030 U		30	
Atrazine	ug/L	0.015 U	0.015 U		30	
Benzo(a)pyrene	ug/L	0.020 U	0.020 U		30	
bis(2-Ethylhexyl)adipate	ug/L	0.37 U	0.37 U		30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

SAMPLE DUPLICATE: 6643794

Parameter	Units	35057313002 Result	Dup Result	RPD	Max RPD	Qualifiers
bis(2-Ethylhexyl)phthalate	ug/L	0.48 U	0.48 U		30	
Endrin	ug/L	0.0052 U	0.0052 U		30	
gamma-BHC (Lindane)	ug/L	0.0059 U	0.0059 U		30	
Heptachlor	ug/L	0.014 U	0.014 U		30	
Heptachlor epoxide	ug/L	0.0031 U	0.0031 U		30	
Hexachlorobenzene	ug/L	0.015 U	0.015 U		30	
Hexachlorocyclopentadiene	ug/L	0.025 U	0.025 U		30	
Methoxychlor	ug/L	0.056 U	0.056 U		30	
Simazine	ug/L	0.041 U	0.041 U		30	
1,3-Dimethyl-2-nitrobenzene(S)	%	93	94			
Benzo(a)pyrene-d12 (S)	%	86	89			
Triphenylphosphate (S)	%	101	105			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

QC Batch:	1211707	Analysis Method:	EPA 548.1
QC Batch Method:	EPA 548.1	Analysis Description:	548 GCS Endothall
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6628738 Matrix: Water
Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Endothall	ug/L	3.3 U	9.0	3.3	08/05/26 09:47	

LABORATORY CONTROL SAMPLE: 6628739

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endothall	ug/L	50	49.2	98	64-137	

LABORATORY CONTROL SAMPLE: 6628740

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endothall	ug/L	9	11.6	129	50-150	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6628763 6628764

Parameter	Units	35055389001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Endothall	ug/L	3.3 U	50	50	52.4	48.9	105	98	64-137	7	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

QC Batch:	1211720	Analysis Method:	EPA 549.2
QC Batch Method:	EPA 549.2	Analysis Description:	549 HPLC Paraquat Diquat
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6628983 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Diquat	ug/L	0.16 U	0.40	0.16	08/06/26 22:06	
Paraquat	ug/L	0.16 U	0.40	0.16	08/06/26 22:06	

LABORATORY CONTROL SAMPLE: 6628984

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Diquat	ug/L	2	1.9	93	70-130	
Paraquat	ug/L	2	1.8	89	70-130	

LABORATORY CONTROL SAMPLE: 6628985

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Diquat	ug/L	0.4	0.37 I	93	50-150	
Paraquat	ug/L	0.4	0.35 I	89	50-150	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6629039 6629040

Parameter	Units	35055166001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Diquat	ug/L	<0.16	2	2	1.9	1.9	94	96	70-130	2	30	
Paraquat	ug/L	<0.16	2	2	1.8	1.8	91	92	70-130	1	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch:	1212786	Analysis Method:	EPA 552.3
QC Batch Method:	EPA 552.3	Analysis Description:	5523 Haloacetic Acids
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6635690 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Dibromoacetic Acid	ug/L	0.43 U	1.0	0.43	08/09/26 21:40	
Dichloroacetic Acid	ug/L	0.39 U	1.0	0.39	08/09/26 21:40	
Haloacetic Acids (Total)	ug/L	0.67 U	1.0	0.67	08/09/26 21:40	
Monobromoacetic Acid	ug/L	0.46 U	1.0	0.46	08/09/26 21:40	
Monochloroacetic Acid	ug/L	0.41 U	1.0	0.41	08/09/26 21:40	
Trichloroacetic Acid	ug/L	0.40 U	1.0	0.40	08/09/26 21:40	
2,3-Dibromopropanoic Acid (S)	%	100	70-130		08/09/26 21:40	

LABORATORY CONTROL SAMPLE: 6635691

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Dibromoacetic Acid	ug/L	10	9.8	98	70-130	
Dichloroacetic Acid	ug/L	10	10.1	101	70-130	
Haloacetic Acids (Total)	ug/L	50	50.4	101	70-130	
Monobromoacetic Acid	ug/L	10	9.9	99	70-130	
Monochloroacetic Acid	ug/L	10	10.6	106	70-130	
Trichloroacetic Acid	ug/L	10	10.0	100	70-130	
2,3-Dibromopropanoic Acid (S)	%			107	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6636161 6636162

Parameter	Units	35055922001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Dibromoacetic Acid	ug/L	ND	10	10	10.6	9.9	106	99	70-130	6	30	
Dichloroacetic Acid	ug/L	ND	10	10	10.4	10.0	104	100	70-130	4	30	
Haloacetic Acids (Total)	ug/L	ND	50	50	53.8	52.3	108	105	70-130	3	30	
Monobromoacetic Acid	ug/L	ND	10	10	11.6	11.2	116	112	70-130	3	30	
Monochloroacetic Acid	ug/L	ND	10	10	10.2	10.4	102	104	70-130	3	30	
Trichloroacetic Acid	ug/L	ND	10	10	11.1	10.7	111	107	70-130	4	30	
2,3-Dibromopropanoic Acid (S)	%						108	115	70-130		30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch: 1211761

Analysis Method: EPA 180.1

QC Batch Method: EPA 180.1

Analysis Description: 180.1 Turbidity

Laboratory: Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6629300

Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Turbidity	NTU	0.20 U	0.20	0.20	08/04/26 18:56	

LABORATORY CONTROL SAMPLE: 6629301

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Turbidity	NTU	20	20.0	100	90-110	

SAMPLE DUPLICATE: 6629302

Parameter	Units	35055365001 Result	Dup Result	RPD	Max RPD	Qualifiers
Turbidity	NTU	250	250	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch:	1211664	Analysis Method:	SM2120B-01
QC Batch Method:	SM2120B-01	Analysis Description:	2120B Color
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6628409 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Apparent Color	units	5.0 U	5.0	5.0	08/04/26 13:37	
pH	units	6.5			08/04/26 13:37	

SAMPLE DUPLICATE: 6628411

Parameter	Units	35055193002 Result	Dup Result	RPD	Max RPD	Qualifiers
Apparent Color	units	5.0	5.0	0	20	
pH	units	8.2	8.2	0		

SAMPLE DUPLICATE: 6628424

Parameter	Units	35055189001 Result	Dup Result	RPD	Max RPD	Qualifiers
Apparent Color	units	30.0	30.0	0	20	
pH	units	6.9	6.9	0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch: 1211947

Analysis Method: SM 2150B

QC Batch Method: SM 2150B

Analysis Description: Threshold Odor Number

Laboratory: Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6630019

Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Temperature, Water (C)	deg C	39.1			08/05/26 09:24	
Threshold Odor Number	TON	1.0 U	1.0	1.0	08/05/26 09:24	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch: 1213548

QC Batch Method: SM 2540C

Analysis Method: SM 2540C

Analysis Description: 2540C Total Dissolved Solids

Laboratory: Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6639342

Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Dissolved Solids	mg/L	5.0 U	5.0	5.0	08/11/26 11:06	

LABORATORY CONTROL SAMPLE: 6639343

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	300	285	95	90-110	

SAMPLE DUPLICATE: 6639344

Parameter	Units	35055642003 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Dissolved Solids	mg/L	72.0	74.0	3	10	

SAMPLE DUPLICATE: 6639345

Parameter	Units	35055642004 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Dissolved Solids	mg/L	75.0	81.0	8	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch:	1218390	Analysis Method:	SM 4500-Cl D
QC Batch Method:	SM 4500-Cl D	Analysis Description:	4500CLD Chlorine, Total, Free, Residual
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6668824 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloramine	mg/L	0.10 U	0.10	0.10	08/28/26 07:22	N2,Q
Chlorine, Total	mg/L	0.10 U	0.10	0.10	08/28/26 07:22	Q

LABORATORY CONTROL SAMPLE & LCSD: 6668825

6668826

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Chlorine, Total	mg/L	0.48	0.49	0.52	102	109	90-110	6	20	Q

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch: 1214437

Analysis Method: SM 4500-CIO2

QC Batch Method: SM 4500-CIO2

Analysis Description: 4500CIO2 Chlorine Dioxide

Laboratory: Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6644503

Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chlorine Dioxide	mg/L	0.080 U	0.20	0.080	08/13/26 13:18	Q

LABORATORY CONTROL SAMPLE: 6644504

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chlorine Dioxide	mg/L	2.3	2.3	99	90-110	Q

SAMPLE DUPLICATE: 6644505

Parameter	Units	35055387001 Result	Dup Result	RPD	Max RPD	Qualifiers
Chlorine Dioxide	mg/L	0.22	0.19 I		20	Q

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch:	1217605	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6663911

Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Bromide	mg/L	0.036 U	0.10	0.036	08/25/26 17:54	
Chloride	mg/L	2.5 U	5.0	2.5	08/25/26 17:54	
Fluoride	mg/L	0.015 U	0.050	0.015	08/25/26 17:54	
Sulfate	mg/L	2.5 U	5.0	2.5	08/25/26 17:54	

LABORATORY CONTROL SAMPLE: 6663912

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromide	mg/L	5	5.0	100	90-110	
Chloride	mg/L	50	48.6	97	90-110	
Fluoride	mg/L	5	5.2	104	90-110	
Sulfate	mg/L	50	48.1	96	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6667271 6667272

Parameter	Units	35060039018 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Bromide	mg/L	0.26	5	5	5.2	5.2	99	98	90-110	0	20	
Chloride	mg/L	59.3	50	50	114	114	108	109	90-110	0	20 L	
Fluoride	mg/L	0.28	5	5	5.4	5.4	103	103	90-110	0	20	
Sulfate	mg/L	24.9	50	50	76.2	76.2	102	102	90-110	0	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6667273 6667274

Parameter	Units	35055387001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Bromide	mg/L	0.087 I	5	5	5.1	5.1	100	100	90-110	0	20	
Chloride	mg/L	20.0	50	50	72.6	72.7	105	105	90-110	0	20	
Fluoride	mg/L	0.30	5	5	5.6	5.6	105	105	90-110	0	20	
Sulfate	mg/L	13.5	50	50	63.4	63.5	100	100	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

QC Batch:	1212999	Analysis Method:	EPA 300.1
QC Batch Method:	EPA 300.1	Analysis Description:	300.1 Oxihalides IC Anions
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6637394 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chlorite	ug/L	0.56 U	2.0	0.56	08/09/26 13:29	
Dichloroacetate (S)	%	106	90-115		08/09/26 13:29	

LABORATORY CONTROL SAMPLE: 6637395

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chlorite	ug/L	40	40.3	101	85-115	
Dichloroacetate (S)	%			102	90-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6639916 6639917

Parameter	Units	35055387001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chlorite	ug/L	2.8 U	200	200	194	195	97	97	75-125	0	20	
Dichloroacetate (S)	%						105	105	90-115			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

QC Batch:	1212998	Analysis Method:	EPA 300.1
QC Batch Method:	EPA 300.1	Analysis Description:	300.1 Oxihalides IC Anions
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6637392 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Bromate	ug/L	0.17 U	1.0	0.17	08/09/26 13:29	
Bromide	ug/L	0.80 U	2.0	0.80	08/09/26 13:29	
Chlorate	ug/L	0.58 U	2.0	0.58	08/09/26 13:29	
Dichloroacetate (S)	%	106	90-115		08/09/26 13:29	

LABORATORY CONTROL SAMPLE: 6637393

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromate	ug/L	8	8.1	101	85-115	
Bromide	ug/L	40	39.9	100	85-115	
Chlorate	ug/L	40	39.5	99	85-115	
Dichloroacetate (S)	%			102	90-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6639912 6639913

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max		Qual
		92873545002	Spike Conc.	Spike Conc.	Result						RPD	RPD	
Bromate	ug/L	ND	40	40	40.9	40.9	102	102	75-125		0	20	
Bromide	ug/L	ND	200	200	213	216	98	99	75-125		1	20	
Chlorate	ug/L	797	200	200	1040	1050	121	127	75-125		1	20	J(M1), L
Dichloroacetate (S)	%						105	105	90-115				

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6639914 6639915

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max		Qual
		35055387001	Spike Conc.	Spike Conc.	Result						RPD	RPD	
Bromate	ug/L	0.85 U	40	40	40.7	40.8	102	102	75-125		0	20	
Bromide	ug/L	80.5	200	200	290	290	105	105	75-125		0	20	
Chlorate	ug/L	170	200	200	386	385	108	108	75-125		0	20	
Dichloroacetate (S)	%						105	105	90-115				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring
Pace Project No.: 35055387

QC Batch:	1213504	Analysis Method:	EPA 335.4
QC Batch Method:	EPA 335.4	Analysis Description:	335.4 Cyanide, Total
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6639248 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/L	0.0050 U	0.010	0.0050	08/11/26 14:12	

LABORATORY CONTROL SAMPLE: 6639249

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	0.05	0.049	98	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6639819 6639820

Parameter	Units	35056135002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/L	0.0050 U	0.025	0.025	0.026	0.027	99	102	90-110	3	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6639821 6639822

Parameter	Units	35056309004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/L	ND	0.025	0.025	0.024	0.025	93	97	90-110	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch:	1211684	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrate + Nitrite, Unpres.
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35055387001

METHOD BLANK: 6628532 Matrix: Water

Associated Lab Samples: 35055387001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	0.025 U	0.050	0.025	08/05/26 07:49	
Nitrogen, Nitrite	mg/L	0.025 U	0.050	0.025	08/05/26 07:49	
Nitrogen, NO2 plus NO3	mg/L	0.015 U	0.050	0.015	08/05/26 07:49	

LABORATORY CONTROL SAMPLE: 6628533

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrite	mg/L	1	1.0	102	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	99	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6628535 6628534

Parameter	Units	35055387001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrite	mg/L	0.025 U	1	1	0.90	0.90	90	90	90-110	0	20	
Nitrogen, NO2 plus NO3	mg/L	8.7	2	2	18.1	17.8	473	459	90-110	2	20 J(M1)	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS - RADIOCHEMISTRY

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

Sample: 3gal SPR #072602 Lab ID: 35055387002 Collected: 08/04/26 09:06 Received: 08/04/26 09:07 Matrix: Drinking Water
PWS: Site ID: Sample Type:

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Gross Alpha	EPA 900.0	2.89U ± 1.38 (2.89) C:NA T:NA	pCi/L	08/24/26 08:41	12587-46-1	
Gross Beta	EPA 900.0	2.09 ± 0.704 (1.18) C:NA T:NA	pCi/L	08/24/26 08:41	12587-47-2	
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	0.414U ± 0.270 (0.414) C:NA T:98%	pCi/L	08/24/26 14:18	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	0.738U ± 0.345 (0.738) C:78% T:87%	pCi/L	08/26/26 13:50	15262-20-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL - RADIOCHEMISTRY

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch: 835635

Analysis Method: EPA 900.0

QC Batch Method: EPA 900.0

Analysis Description: 900.0 Gross Alpha/Beta

Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 35055387002

METHOD BLANK: 4082134

Matrix: Drinking Water

Associated Lab Samples: 35055387002

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Gross Alpha	-0.818 ± 0.818 (2.60) C:NA T:NA	pCi/L	08/24/26 08:40	
Gross Beta	-0.432 ± 0.712 (1.95) C:NA T:NA	pCi/L	08/24/26 08:40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL - RADIOCHEMISTRY

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch: 834685

Analysis Method: EPA 903.1

QC Batch Method: EPA 903.1

Analysis Description: 903.1 Radium-226, DW

Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 35055387002

METHOD BLANK: 4077122

Matrix: Drinking Water

Associated Lab Samples: 35055387002

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-226	-0.0463 ± 0.203 (0.499) C:NA T:101%	pCi/L	08/24/26 14:18	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL - RADIOCHEMISTRY

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

QC Batch: 834686

Analysis Method: EPA 904.0

QC Batch Method: EPA 904.0

Analysis Description: 904.0 Radium 228, DW

Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 35055387002

METHOD BLANK: 4077123

Matrix: Drinking Water

Associated Lab Samples: 35055387002

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-228	0.907 ± 0.361 (0.634) C:82% T:89%	pCi/L	08/26/26 13:49	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Act - Activity

Unc - Uncertainty: SDWA = 1.96 sigma count uncertainty, all other matrices = Expanded Uncertainty (95% confidence interval).

Gamma Spec = Expanded Uncertainty (95.4% Confidence Interval)

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
U	Compound was analyzed for but not detected.
1p	Analyte recovery in the reporting limit standard (CRDL) exceeded QC limits. Analyte presence below reporting limits in associated samples
D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
J(L1)	Estimated Value. Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.
J(M1)	Estimated Value. Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
L	Off-scale high. Actual value is known to be greater than value given.
L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples.
N2	The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.
Q	Sample held beyond the accepted holding time.
Q	Sample held beyond the accepted holding time. Analysis initiated more than 15 minutes after sample collection.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Bulk Spring Water Monitoring

Pace Project No.: 35055387

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
35055387001	5gal SPR#072613	EPA 504.1	1215300	EPA 504.1	1215347
35055387001	5gal SPR#072613	EPA 505	1213448	EPA 505	1213912
35055387001	5gal SPR#072613	EPA 515.3	1212322	EPA 515.3	1212537
35055387001	5gal SPR#072613	EPA 525.3	1214238	EPA 525.3	1214491
35055387001	5gal SPR#072613	EPA 531.2	1211678		
35055387001	5gal SPR#072613	EPA 547	1212372		
35055387001	5gal SPR#072613	EPA 549.2	1211720	EPA 549.2	1212031
35055387001	5gal SPR#072613	EPA 552.3	1212786	EPA 552.3	1212971
35055387001	5gal SPR#072613	EPA 200.7	1213456	EPA 200.7	1213529
35055387001	5gal SPR#072613	EPA 200.8	1213457	EPA 200.8	1213528
35055387001	5gal SPR#072613	EPA 245.1	1218998	EPA 245.1	1219037
35055387001	5gal SPR#072613	EPA 548.1	1211707	EPA 548.1	1211920
35055387001	5gal SPR#072613	EPA 524.2	1215146		
35055387002	3gal SPR #072602	EPA 900.0	835635		
35055387002	3gal SPR #072602	EPA 903.1	834685		
35055387002	3gal SPR #072602	EPA 904.0	834686		
35055387001	5gal SPR#072613	EPA 180.1	1211761		
35055387001	5gal SPR#072613	SM2120B-01	1211664		
35055387001	5gal SPR#072613	SM 2150B	1211947		
35055387001	5gal SPR#072613	SM 2540C	1213548		
35055387001	5gal SPR#072613	SM 4500-Cl D	1218390		
35055387001	5gal SPR#072613	SM 4500-ClO2	1214437		
35055387001	5gal SPR#072613	SM 4500-H+B	1216593		
35055387001	5gal SPR#072613	EPA 300.0	1217605		
35055387001	5gal SPR#072613	EPA 300.1	1212999		
35055387001	5gal SPR#072613	EPA 300.1	1212998		
35055387001	5gal SPR#072613	EPA 335.4	1213504	EPA 335.4	1213685
35055387001	5gal SPR#072613	EPA 353.2	1211684		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name:	Palm Springs Bottled Water	Contact/Report To:	Leisha Stevenson
Street Address:	327 N McArthur St.	Phone #:	(877)357-0295
	Macomb, IL 61455	E-Mail:	lstevenson@palmspringsbottledwater.com
Customer Project #:		Cc E-Mail:	
Project Name:	Bulk Spring Water Monitoring	Invoice To:	Leisha Stevenson
Site Collection Info/Facility ID (as applicable):		Invoice E-Mail:	lstevenson@palmspringsbottledwater.com
		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET	County / State origin of sample(s):	lowa
Data Deliverables:		
[] Level II [] Level III [] Level IV	Regulatory Program (DW, RCRA, etc.) as applicable:	Reportable [] Yes [] No
[] EQUIS	Rush (Pre-approval required): [] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other _____	DW PWSID # or WW Permit # as applicable:
[] Other _____	Date Results Requested:	Field Filtered (if applicable): [] Yes [] No
Analysis:		
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biosay (B), Vapor (V), Surface Water (SW) Sediment (SRN), Sludge (SL), Sewage (S), Toilet (TO), Leachate (L), Bleached (BL), Other (OT)		

[illegible]

Additional Instructions From Pace®:		Collected By: (Printed Name) Signature:	Received by/Company: (Signature)
000.8 - Sb, Al, As, Pb, Se, Ti, Cu, U	<i>[Signature]</i>	<i>Anna Jones</i> <i>[Signature]</i>	<i>[Signature]</i>
000.7 - Ba, Be, Cd, Cr, Ni, Fe, Mn, Ag, Zn	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>
	Date/Time: <i>8/4/20</i>	<i>8/4/20</i>	Received by/Company: (Signature)
	Date/Time: <i>8/14</i>	<i>8/14</i>	Received by/Company: (Signature)
	Date/Time:		Received by/Company: (Signature)
	Date/Time:		Received by/Company: (Signature)

Lab Use Only - Affix Worksheet to Label Here												
W0#: 35055387 35055387												
Specify Container Size ** ***Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) Terra Core, (9) 90mL, (10) Other												
Identify Container Preservative Type *** ***Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaNH2O4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other												
Analysis Requested												
1613 Dioxin	200.8/200.7/245.1	2150B Threshold Odor Number	300.1 Oxyhalides	335.4 Total Cyanide	504.1 GCS EDB and DBCP	505 GCS PCB-TOX-TCH	515.3 Chlorinated Herbicides	524.2 MSV	525.3 Pesticides Semivolatiles	Lab Use Only	Proj. Mgr: Ivette Prieto AcctNum / Client ID: Table #: Profile / Template: 18759 Prelog / Bottle Ord. ID: EZ 3427543	Preservation non-conformance identified for sample.
Sample Comment												
Customer Remarks / Special Conditions / Possible Hazards:												
# Coolers:	Thermometer ID:	Correction Factor (*C):	Obs. Temp. (*C)	Corrected Temp. (*C)	On Ice:							
Date/Time: <i>8/4/20</i>	Tracking Number: <i>L007</i>											
Date/Time:	Delivered by: [] In-Person [] Courier											
Date/Time:	[] FedEx [] UPS [] Other											
Date/Time:	Page: 1 of 2											

submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

Pace® Location Requested (City/State):
Pace Analytical Oldsmar
110 South Bayview Blvd., Oldsmar, FL 34677

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Palm Springs Bottled Water	Contact/Report To:	Leisha Stevenson
Street Address:	327 N McArthur St. Macomb, IL 61455	Phone #:	(877)357-0295
Customer Project #:		E-Mail:	lstevenson@palm SpringsBottledWater.com
Project Name:	Bulk Spring Water Monitoring	Cc E-Mail:	
Site Collection Info/Facility ID (as applicable):		Invoice To:	Leisha Stevenson
		Invoice E-Mail:	lstevenson@palm SpringsBottledWater.com
		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected:	[] AK [] PT [] MT [] CT [] ET	County / State origin of sample(s):	Iowa
Data Deliverables:	[] Level II [] Level III [] Level IV	Regulatory Program (DW, RCRA, etc.) as applicable:	Reportable [] Yes [] No
[] EQUIS		Rush (Pre-approval required):	[] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other
[] Other		Date Results Requested:	
		Field Filtered (if applicable):	[] Yes [] No
		Analysis:	

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start		Collected or Composite End		# Cont.	Res. Chlorine	
			Date	Time	Date	Time		Results	Units
5gal SPR#072613	DW	grab			7/14/26	1230	1		
3gal SPR#072602		↓			↓	↓	1		
							</		

Pace Container Order #3427543

yvette.prieto@pacelab

Addresses

Order By:

Company Palm Springs Bottled Water
 Contact Leisha Stevenson
 Email l Stevenson@palm Springsbottledwater.
 Address 327 N McArthur St.
 Address 2 _____
 City Macomb
 State IL Zip 61455
 Phone (877)357-0295

Ship To:

Company Hold for Client Pick Up
 Contact _____
 Email _____
 Address _____
 Address 2 _____
 City _____
 State _____ Zip _____
 Phone _____

Return To:

Company Oldsmar, FL (Pace Analytical
 Contact Yvette Prieto
 Email yvette.prieto@pacelabs.com
 Address 110 South Bayview Blvd.
 Address 2 _____
 City Oldsmar
 State FL Zip 34677
 Phone (813)881-9401

Info

Project Name Bulk Spring Water Monitoring Due Date 07/13/2026 Profile 18759
 Project Manager Prieto, Yvette Return Date _____ Carrier Client Pick Up Quote _____
 Location IA

Return Shipping Labels

Return Label Type _____
☐ No Shipper
☐ With Shipper

Bottle Labels

☐ Blank
☒ Pre-Printed No Sample IDs
☐ Pre-Printed With Sample IDs

Bottles

☐ Boxed Cases
☐ Individually Wrapped
☒ Grouped By Sample ID/Matrix

Trip Blanks

☐ Include Trip Blanks

COC Options

☐ Number of Blanks _____
☒ Pre-Printed 2

Misc

☐ Sampling Instructions
☐ Custody Seal
☐ Temp. Blanks
☐ Coolers _____
☐ Syringes _____
☐ Extra Bubble Wrap
☐ Short Hold/Rush Stickers
☐ DI Water _____
☐ USDA Regulated Soils
☐ Dry Weight _____

# of Samp Matrix	Analysis	Qty / Samp	Container	Total	# of QC	Lot #	Notes
1	DW	1613 Dioxin	1 1L amber glass Na Thiosulfate	1		060826-1CEM	
1	DW	549.2 HPLC Paraquat Diquat	1 1L amber plastic H2SO4	1		021626-2EYO/031626-3DHC	
1	DW	Gross Alpha/Beta	1 1L plastic HNO3	1		041326-2EEY	
1	DW	Rad 226	1 1L plastic HNO3	1		041326-2EEY	
1	DW	Rad 228	1 1L plastic HNO3	1		041326-2EEY	
1	DW	200.8/200.7/245.1	1 1L plastic unpreserved	1		041326-2EEY	
1	DW	Chlorine/Dioxide, NO2, NO3, Cl, F, SO4	1 1L plastic unpreserved	1		062226-2EOU	
1	DW	Turbidity, Color, TDS	1 1L plastic unpreserved	1		062226-2EOU	
1	DW	531.2 HPLC Carbamates	2 40mL Amber Glass Vial with potassium dihydrogen citrate and sodium thiosulfate	2		062226-2EOU	
1	DW	547 HPLC Glyphosate	2 40mL amber VOA vial Na Thio	2		121624-04eda	
1	DW	524.2 MSV	3 40mL clear VOA vial Ascorbic Acid/HCl	3		012626-3ELB	
1	DW	504.1 GCS EDB and DBCP	2 40mL clear VOA vial Na Thiosulfate	2		091525-3CJS/062325-3DHB	
1	DW	505 GCS PCB-TOX-TCH	4 40mL clear VOA vial Na Thiosulfate	4		060126-3CEL	
1	DW	300.1 Oxyhalides	1 125mL Amber Glass with EDA	1		060126-3CEL	
1	DW	335.4 Total Cyanide	1 125ml plastic NAOH	1		050426-1CIM	
1	DW	552.3 Haloacetic Acids	1 250mL amber glass NH4Cl	1		020926-2EJF	
1	DW	515.3 Chlorinated Herbicides	1 250mL amber glass Na Thiosulfate	1		061526-1CBD	
1	DW	548.1 GCS Endothall	1 500mL amber glass sodium thiosulfate preserved	1		072125-1CVE	
						050426-1cxf	

Pace Container Order #3427543

yvette.prieto@pacelabs.com

# of Samp Matrix	Analysis	Qty / Samp	Container	Total	# of QC	Lot #	Notes
1	DW	2150B Threshold Odor Number	1	500mL amber glass unpreserved	1	050426-1BYW	
1	DW	525.3 Pesticides Semivolatiles	2	Amber Glass 1 L Ascorbic acid, EDTA trisodium, and Potassium dihydrogen citrate	2	031626-1CSMX	

Hazard Shipping Placard In Place : N/A

*Sample receiving hours are typically 8am-5pm, but may differ by location. Please check with your Pace Project Manager.

*Pace Analytical reserves the right to return hazardous, toxic, or radioactive samples to you.

*Pace Analytical reserves the right to charge for unused bottles, as well as cost associated with sample storage/disposal.

*Payment term are net 30 days.

*Please include the proposal number on the chain of custody to ensure proper billing.

Sample Notes :

200.8 - Sb, Al, As, Pb, Se, Ti, Cu, U
200.7 - Ba, Be, Cd, Cr, Ni, Fe, Mn, Ag, Zn

LAB USE:

Ship Date : 07/10/2026

Prepared By: Ck

Verified By:

CLIENT USE (Optional):

Date Rec'd:

Received By:

Sample Condition Upon Receipt Form (SCUR)

WO#: 35055387

PM: YMP

Due Date: 09/01/26

CLIENT: PALBOT

Pace

Date and Initials of person:

Examining contents: AM

Verifying pH: -

Initials: CAB

Project #

Project Manager:

Client:

Thermometer Used: T-441

Date: 7/24/26

Time: 17:15

State of Origin: _____

Cooler #1 Temp. °C 25.4 (Visual) 0.1 (Correction Factor) 25.3 (Actual) ☐ For WV projects, all containers verified to ≤6 °C

Cooler #2 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)

Cooler #3 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)

Cooler #4 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)

Cooler #5 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)

Cooler #6 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)

Recheck for OOT °C _____ (Visual) _____ (Correction Factor) _____ (Actual)

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☒ Other:

Shipping Method: ☐ Standard Overnight ☐ First Overnight ☐ Priority Overnight ☐ Ground ☐ International Priority ☐ Other:

☐ Samples collected sameday, on ice cooling has begun

☐ Samples collected sameday, on ice cooling has begun

☐ Samples collected sameday, on ice cooling has begun

☐ Samples collected sameday, on ice cooling has begun

☐ Samples collected sameday, on ice cooling has begun

☐ Samples collected sameday, on ice cooling has begun

Time: _____ Initials: _____

Tracking #

Custody Seal Present: ☐ Yes ☒ No Seal properly placed and intact: ☐ Yes ☒ No

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ None ☐ Other:

Ice: ☐ Wet ☐ Blue ☐ Dry ☒ None ☐ Melted

Samples shorted to lab: ☐ Yes ☒ No (If yes, complete the following)

Shorted Date: _____

Bottle Quantity / Type: _____

Shorted Time: _____

Chain of Custody: Present: ☒ Yes ☐ No | Filled Out: ☒ Yes ☐ No ☐ N/A | Sampler Name: ☒ Yes ☐ No ☐ N/A

Relinquished To Pace: ☒ Yes ☐ No ☐ N/A | Sampling Date(s): ☒ Yes ☐ No ☐ N/A | Sampling Time(s): ☒ Yes ☐ No ☐ N/A

Samples Arrived within Hold Time.

Rush Turnaround Requested on COC. ☐ Yes ☐ No ☒ N/A

Sufficient Volume. ☐ Yes ☐ No ☒ N/A

Correct Containers Used. ☐ Yes ☐ No ☒ N/A

Containers Intact. ☐ Yes ☐ No ☒ N/A

Sample Labels Match COC (Sample ID, Date/Time of Collection). ☐ Yes ☐ No ☒ N/A

All containers needing acid / base preservation have been checked. ☒ Yes ☐ No ☐ N/A

All containers needing preservation are found to be in compliance with EPA recommendation: ☐ Yes ☒ No ☐ N/A

Exceptions: Vials, Microbiology, O&G, PFAS

Headspace in Volatile Vials? (>6mm): ☐ Yes ☒ No ☐ N/A

Trip Blank Present: ☐ Yes ☐ No ☒ N/A

Comments / Resolutions (use back for additional comments):

Preservative: HNO3

Lot / Trace: 485697

Amount added (mL): 1

Preservation Information

Date: 8/4/26

Time: 0919

Initials: AEZ

Labeled by: CAB

Reviewed by: [Signature]



Pace Analytical Services, LLC
1700 Elm Street
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444
www.pacelabs.com

Report Prepared For:

Yvette Prieto
PASI Florida
110 South Bayview Blvd.
Oldsmar FL 33634

REPORT OF LABORATORY ANALYSIS FOR 2,3,7,8-TCDD

This report contains results of one drinking water sample analyzed to determine 2,3,7,8-TCDD content. This sample was analyzed according to Method 1613 by High Resolution Gas Chromatography/High Resolution Mass Spectrometry.

Report Prepared Date:

August 13, 2026

Report Information:

Pace Project No.: 10782896
Client Project No.: 35055387 Palm Springs
Receipt Date: 08/06/2026
Client PO No.: N/A
State Cert. No.: 200011

Invoicing & Reporting Options:

The report provided has been invoiced as a Level 2 2,3,7,8-TCDD Report. If an upgrade of this report package is requested, an additional charge may be applied.

Please review the attached invoice for accuracy and forward any questions to Tatijana Krasaway, your Pace Project Manager.

This report has been reviewed by:

Tatijana Krasaway
August 13, 2026

Tatijana Krasaway, Project Manager

(612) 607-6444 (fax)
tatijana.krasaway@pacelabs.com



Report of Laboratory Analysis

This report should not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.

Minnesota Laboratory Certifications

Authority	Certificate #	Authority	Certificate #
A2LA	2926.01	Missouri	10100
Alabama	40770	Montana	CERT0092
Alaska-DW	MN00064	Nebraska	NE-OS-18-06
Alaska-UST	17-009	Nevada	MN00064
Arizona	AZ0014	New Hampshire	2081
Arkansas - WW	88-0680	New Jersey	MN002
Arkansas-DW	MN00064	New York	11647
California	2929	North Carolina-DW	27700
Colorado	MN00064	North Carolina-WW	530
Connecticut	PH-0256	North Dakota	R-036
Florida	E87605	Ohio-DW	41244
Georgia	959	Ohio-VAP (1700)	CL101
Idaho	MN00064	Ohio-VAP (1800)	CL110
Illinois	200011	Oklahoma	9507
Indiana	C-MN-01	Oregon-Primary	MN300001
Iowa	368	Oregon-Secondary	MN200001
Kansas	E-10167	Pennsylvania	68-00563
Kentucky-DW	90062	Puerto Rico	MN00064
Kentucky-WW	90062	South Carolina	74003
Louisiana-DEQ	AI-84596	Tennessee	TN02818
Louisiana-DW	MN00064	Texas	T104704192
Maine	MN00064	Utah	MN00064
Maryland	322	Vermont	VT-027053137
Michigan	9909	Virginia	460163
Minnesota	027-053-137	Washington	C486
Minnesota-Ag	via MN 027-053-137	West Virginia-DEP	382
Minnesota-Petrofund	1240	West Virginia-DW	9952C
Mississippi	MN00064	Wisconsin	999407970
		Wyoming-UST	via A2LA 2926.01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Reporting Flags

- A = Reporting Limit based on signal to noise (EDL)
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- H2 = Extracted outside of holding time
- I = Isotope ratio out of specification
- J = Estimated value
- L = Suppressive interference, analyte may be biased low
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Internal Transfer Chain of Custody



☐ Rush Multiplier ☒ X
☒ Samples Pre-Logged into eCOC
 Workorder: 35055387 Workorder Name: Bulk Spring Water Monitoring

State Of Origin: IL
 Cert. Needed: ☒ Yes ☐ No
 Owner Received Date: 8/4/2026 Results Requested By: 9/1/2026

Report To: Yvette Prieto, Pace Oldsmar, 110 South Bayview Blvd., Oldsmar, FL 34677, Phone (813)881-9401

Subcontract To: Pace Minneapolis, 1700 Elm Street SE, Suite 200, Minneapolis, MN 55414, Phone (612)607-1700

WO#: 10782896



Preserved Containers

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	1613 Dioxin TCDD	LAB USE ONLY
1	3gal SPR #072602	PS	8/4/2026 09:06	35055387002	Drinking	X	002
2							
3							
4							
5							

Transfers	Released By	Date/Time	Received By	Date/Time	Received on Ice (Y) or N	Samples Intact (Y) or N
1	HIPBAC	8/4/26/26	Pace	8/6/26 8:45		
2						
3						

Cooler Temperature on Receipt 42°C Custody Seal Y or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.

This chain of custody is considered complete as is since this information is available in the owner laboratory.

ENV-FRM-MIN4-0150 v21_Sample Condition Upon Receipt

Person Examining & Date: MRCF 8/5/20

PROJECT #:

WO#: **10782896**

Client Name: Pace Oldsmar

PM: TKG

Due Date: 09/01/26

CLIENT: PASI-FL

Custody Seal Present: ☐ YES ☒ NO Seals Intact: ☐ YES ☒ NO

Tracking Number: 5188 7362 1270

☐ See Exceptions form ENV-FRM-MIN4-0142.

Courier: ☐ Client ☐ Commercial ☒ FedEx ☐ Pace Courier/Field ☐ SpeedDee ☐ UPS ☐ USPS

Packing Material: ☒ Bubble Bags ☐ Bubble Wrap ☐ None ☐ Other: _____ Biological Tissue Frozen: ☐ YES ☒ NO

Thermometer: ☐ T1 (0461) ☐ T2 (0431) ☐ T3 (0459) ☐ T4 (0402) Type of Ice: ☐ Blue ☐ Dry ☒ Wet ☐ Melted ☐ None
☐ T5 (0187) ☒ T6 (0396) ☐ T7 (0377) ☐ T8 (0775)
☐ T9 (0428) ☐ 01339252 (0710) Temp Blank: ☐ YES ☒ NO

NOTE: Temp should be $\leq 6^{\circ}\text{C}$, but above freezing.

Read Temp w/Temp Blank: _____ $^{\circ}\text{C}$

Correction Factor: 1.2

Corrected Temp w/Temp Blank: _____ $^{\circ}\text{C}$

Did Samples Originate in West Virginia: ☐ YES ☒ NO (list temps on exception)

Were All Container Temps Taken: ☐ YES ☐ NO ☒ N/A

Average Corrected Temp (No Temp Blank Only): 4.2

☒ See Exceptions form ENV-FRM-MIN4-0142.

☐ 1 Container

USDA Regulated Soil: ☒ N/A - Water Sample/Other (describe): _____

Did Samples originate from one of the following states (check maps): ☐ YES ☐ NO

Are samples from a foreign source (international, including Hawaii and Puerto Rico): ☐ YES ☐ NO

NOTE: If YES to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork.

LOCATION (check one): ☐ DULUTH ☐ MINNEAPOLIS ☐ VIRGINIA	YES	NO	N/A	COMMENT(S)
Chain of Custody Present and Filled Out? (i.e., Analysis/ID/Date/Time)	☒	☐	☐	1.
Chain of Custody Relinquished?	☒	☐	☐	2.
Sampler Name and/or Signature on COC?	☐	☐	☒	3.
Samples Arrived within Hold Time?	☒	☐	☐	4.
NOTE: < 24 hrs if lab filter is requested for Dissolved LL-Mercury by 1631E.				If Fecal: ☐ < 8 hrs ☐ > 8 hr but < 24 hrs ☐ > 24 hr
Short Hold Time Analysis (<72 hr)?	☐	☒	☐	5. ☐ BOD / cBOD ☐ Fecal coliform ☐ Hex Chrom ☐ HPC ☐ Nitrate ☐ Nitrite ☐ Ortho Phos ☐ Total coliform/E. coli ☐ Turbidity ☐ Other: _____
Rush Turn Around Time Requested?	☐	☒	☐	6. ☐ Same Day ☐ 1 Day ☐ 2 Day ☐ 3 Day ☐ 5 Day Due Date: _____
Sufficient Sample Volume? (If NO, list approximate volume in section 7.)	☒	☐	☐	7.
Correct Containers Used?	☒	☐	☐	8. <u>1.1 AGENT</u>
Containers Intact?	☒	☐	☐	9.
Field Filtered Volume Received for Dissolved Tests?	☐	☐	☒	10.
ID/Date/Time Match? (If NO, fill out section 11.)	☐	☒	☐	11. <u>ID on container: Spring water</u> ☐ See Exceptions form ENV-FRM-MIN4-0142
Matrix: ☐ Oil ☐ Soil ☒ Water ☐ Other				12. <u>on LOC: 3gal SPR #072602</u>
All containers needing acid/base preservation have been checked?	☐	☐	☒	
Sample #:				
☐ HNO3 ☐ H2SO4 ☐ NaOH ☐ Zinc Acetate				
pH Paper Lot #:				
☐ Residual Chlorine ☐ 0-6 Roll ☐ 0-6 Strip ☐ 0-14 Strip				
Preserved containers in compliance with EPA recommendations? (HNO3, H2SO4, < 2 pH, NaOH > 9 Sulfide, NaOH > 10 Cyanide)	☐	☐	☒	Positive for Residual Chlorine (NaOH containers only): ☐ YES ☐ NO ☐ See Exceptions form ENV-FRM-MIN4-0142
EXCEPTIONS (water only): VOA, Coliform, TOC/DOC, Oil & Grease, Phenols, DRO/8015, Dioxins, and PFAS	☒	☐	☐	
Extra labels present on soil VOA or WIDRO containers? (soil only)	☐	☐	☒	13.
Headspace in Methyl Mercury Container?	☐	☐	☒	14.
Headspace in VOA Vials (greater than 6mm)?	☐	☐	☒	☐ See Exceptions form ENV-FRM-MIN4-0140
Trip Blanks Present?	☐	☐	☒	15.
Trip Blank Custody Seals Present?	☐	☐	☒	Pace Trip Blank Lot # (if purchased): _____

CLIENT NOTIFICATION / RESOLUTION:

Labeled By: MRCF Line: 4

Person Contacted & Date/Time:

PM Review & Date:

Tatiana Krasaway 08/06/26

NOTE: When there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEQ Certification Office.

Qualtrax ID: 52742

Effective Date: 10/01/25

Page 1 of 1

Pace® Analytical Services, LLC (PAS)

Page 61 of 63

Page 5 of 7

Report No.....10782896_1613DW_L2

ENV-FRM-MIN4-0142 v05_Sample Condition Upon Receipt - Exceptions

Workorder #: _____

Anything is OVER 6.0°C, MUST be documented in the sections below.

Tracking Number	Temperature (°C)

Out of Temp Sample ID	Container Type	# of Containers

PM Notified of Out of Temp Cooler? ☐ YES ☐ NO Multiple Cooler Project? ☐ YES ☐ NO

If YES, indicate who was contacted, date, and time: _____

If NO, indicate reason why: ☐ All Nitric ☐ Not on ice ☐ Sampled same day ☐ Other: _____

No Temp Blank		
Temp Gun: <u>T6</u>	Correction Factor: <u>True</u>	
Read Temp	Corrected Temp	Average Temp
4.2	4.2	4.2
4.3	4.3	
4.0	4.0	
4.3	4.3	

Other	

pH Adjustment Log for Preserved Samples										
Sample ID	Type of Preservative		pH Upon Receipt	Date / Time Adjusted	Amount Added (mL)	Lot # Added	pH After	In Compliance After?		Initials
	HNO ₃	H ₂ SO ₄						YES	NO	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	

COMMENT(S):

Drinking Water Analysis Results
2,3,7,8-TCDD - USEPA Method 1613B

Sample ID: 3gal SPR #072602
Client Name: PASI Florida
Lab Sample ID: 35055387002

Date Collected: 08/04/2026
Date Received: 08/06/2026
Date Extracted: 08/07/2026

	Sample 3gal SPR	Method Blank	Lab Spike	Lab Spike Dupe.
2,3,7,8-TCDD	ND	ND	--	--
EDL	0.0034 ng/L	0.0022 ng/L	--	--
2,3,7,8-TCDD Recovery	--	--	92%	87%
Spike Recovery Limit	--	--	73-146%	73-146%
RPD				5.6%
IS Recovery	113%	101%	101%	102%
IS Recovery Limits	31-137%	31-137%	25-141%	25-141%
CS Recovery	105%	83%	100%	95%
CS Recovery Limits	42-164%	42-164%	37-158%	37-158%
Filename	F260813A_07	F260811A_08	F260811A_06	F260811A_07
Analysis Date	08/12/2026	08/11/2026	08/11/2026	08/11/2026
Analysis Time	21:19	15:11	14:13	14:42
Analyst	AH5	CBS	CBS	CBS
Volume	1.014L	1.013L	1.000L	1.001L
Dilution	NA	NA	NA	NA
ICAL Date	06/11/2026	06/11/2026	06/11/2026	06/11/2026
CCAL FileName	F260813A_01	F260811A_04	F260811A_04	F260811A_04

! = Outside the Control Limits
ND = Not Detected
LOQ = Limit of Quantitation
Limits = Control limits from Method 1613B (10/94 Revision), Tables 6A and 7A
RPD = Relative Percent Difference of Lab Spike Recoveries
IS = Internal Standard [2,3,7,8-TCDD-¹³C₁₂]
CS = Cleanup Standard [2,3,7,8-TCDD-³⁷Cl₄]


Analyst